



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

2. Cancer is at first a small local growth which can be safely and easily removed by competent surgical or other treatment.
3. Cancer is not a constitutional or "blood" disease.
4. Cancer is not contagious.
5. Cancer is, practically speaking, not hereditary.
6. Every lump in the breast should be examined by a competent doctor.
7. Persistent abnormal discharge or bleeding is suspicious.
8. Sores, cracks, lacerations, lumps, and ulcers which do not heal, and warts, moles, or birthmarks which change in size, color, or appearance, may turn into cancer unless treated and cured.
9. Probably 60 per cent of cancers of the rectum are first regarded as piles. Insist on a thorough medical examination.
10. Continued irritation in some form is the usual cause of cancer. It rarely results from a sudden injury.
11. A doctor who treats a suspicious symptom without making a thorough examination does not know his business.

THE NOTIFIABLE DISEASES.

PREVALENCE DURING 1918 IN STATES.

ANTHRAX, CEREBROSPINAL MENINGITIS, DENGUE, DIPHTHERIA, INFLUENZA, MALARIA MEASLES, PNEUMONIA (ALL FORMS), POLIOMYELITIS, RABIES IN ANIMALS, RABIES IN MAN, ROCKY MOUNTAIN SPOTTED FEVER, SCARLET FEVER, SEPTIC SORE THROAT SMALLPOX, TUBERCULOSIS (PULMONARY AND ALL FORMS), TYPHOID FEVER, AND TYPHUS FEVER—CASES AND DEATHS REPORTED, CASE RATES, FATALITY AND MORTALITY RATES, 1918; AVERAGE NUMBER OF CASES REPORTED DURING RECENT YEARS (1913 TO 1917) AND CASE RATES.

The tables which appear on the following pages have been compiled from data furnished by the health officers of the several States in response to requests from the United States Public Health Service.

The following table shows States for which morbidity and mortality summaries were received:

Morbidity.	Mortality.	Morbidity.	Mortality.
Alabama.	Alabama.		Missouri. ¹
Arizona.	Arizona.	Montana.	
Arkansas.	Arkansas.	Nebraska.	Nebraska.
California.	California.	New Jersey.	New Jersey.
Colorado.		New York.	New York.
Connecticut.	Connecticut.	North Carolina.	
	Delaware.	Ohio.	Ohio.
District of Columbia.	District of Columbia.	Oregon.	Oklahoma.
Florida.	Florida.	Pennsylvania.	Oregon.
	Hawaii.	Porto Rico.	Pennsylvania.
Illinois.	Illinois.	Rhode Island.	Porto Rico.
Indiana.	Indiana.	South Carolina.	Rhode Island.
Iowa.	Iowa.	South Dakota.	South Carolina.
Kansas.	Kansas.	South Dakota.	South Dakota.
	Kentucky.	Texas.	Texas.
Louisiana.	Louisiana.	Utah.	Utah.
Maine.	Maine.	Vermont.	Vermont.
Maryland.	Maryland.	Virginia.	
Massachusetts.	Massachusetts.	Washington.	Washington.
Michigan.	Michigan.	West Virginia.	
Minnesota.	Minnesota.	Wisconsin.	Wisconsin.
Mississippi.	Mississippi. ¹	Wyoming.	Wyoming.

¹ Data not given by months.

The populations used in computing the case rates and death rates were those estimated by the Bureau of the Census as of July 1, 1918, except for the population of Iowa. For this State the population in 1910, as ascertained by the census of that year, was used, as no estimate for 1918 was available.

For most of the diseases four separate tables are given: (1) Averages, (2) Morbidity, (3) Mortality, and (4) Rates. The averages were obtained by adding together the cases reported by months for the years 1913, 1914, 1915, 1916, and 1917 and dividing the sums by 5. Data for the full five years were not available for some of the States. The column headed "Years" shows the years and number of years for which the figures were obtainable. In all instances the averages are for years between 1913 and 1917, inclusive. The averages are given by months for the following diseases: Cerebrospinal meningitis, diphtheria, measles, poliomyelitis, scarlet fever, smallpox, tuberculosis (pulmonary and all forms), and typhoid fever. The total cases of anthrax reported in each State during 1916 and 1917 are included in the rate table for this disease under a different heading.

In the morbidity tables are given the number of cases of communicable diseases reported in the States, by months, except rabies in animals and rabies in man, for which only totals are given. The morbidity for influenza is not complete, as this disease was not made reportable until the epidemic began in the fall of 1918. Neither are the pneumonia reports complete.

The mortality tables show deaths from communicable diseases registered in States by months.

The rate table shows the average cases reported per annum for the years 1913 to 1917, inclusive, where the data were available, and the average case rate per 1,000 inhabitants. This was obtained by using the average population of the years for which cases were reported. It also shows the cases and deaths reported, case rates, and fatality and mortality rates in 1918.

In comparing the figures for 1918 with the averages for preceding years, it should be borne in mind that an increase in the number of cases reported may indicate that there were more cases of the particular disease in the State during 1918, or it may indicate that the cases were better reported by the physicians.

A relatively large number of reported cases of a communicable disease, as indicated by a high case rate (and more especially when accompanied by a relatively small number of deaths, as indicated by a low fatality rate), usually means that the health department of that State is active and that the cases of the disease are being well reported by the practicing physicians. It does not necessarily mean that the disease is more prevalent in that State than in other States. A high fatality rate may mean that the disease was unusually virulent in a State, that the physicians did not treat the disease in that

State with the success usual elsewhere, or that the practicing physicians did not report all of their cases. On the other hand, an unusually low fatality rate may be due to the fact that the disease in the State was unusually mild, that the physicians treated it with unusual success, that the practicing physicians reported their cases satisfactorily, or that the registration of deaths was incomplete, or the assignment of the causes of death inaccurate.

Summaries of reported cases and deaths from communicable diseases similar to the summary here presented have been issued by the United States Public Health Service for the years 1912 to 1917, inclusive (Reprints Nos. 163, 208, 298, 345, 426, and 505). A comparison of these summaries indicates that, while morbidity reports in the United States are far from complete, steady advance is being made in many of the States.

Cases reported and deaths registered in New York City, during the calendar year 1918, from certain diseases, with indicated morbidity, mortality, and fatality rates.

	Cases.	Deaths.		Cases.	Deaths.
Anthrax:			Influenza:		
January.....	2	0	January.....	72	5
February.....	1	0	February.....	52	133
March.....	1	1	March.....	106	36
April.....	1	1	April.....	7	6
May.....	2	0	May.....	5	5
June.....	1	0	June.....	2,131	114
July.....	0	0	July.....	110,903	8,384
August.....	0	0	August.....	16,766	2,731
September.....	1	0	September.....	6,149	916
October.....	2	1	October.....		
November.....	1	0	November.....		
December.....	3	0	December.....		
Total.....	15	4	Total.....		12,562
Rate per 1,000 population...	.003	.001	Rate per 1,000 population...		2.408
Deaths per 100 cases, 26.7...					
Cerebrospinal meningitis:			Malaria:		
January.....	22	11	January.....	0	1
February.....	33	28	February.....	1	0
March.....	62	46	March.....	1	1
April.....	94	33	April.....	3	0
May.....	80	36	May.....	8	2
June.....	30	16	June.....	14	1
July.....	30	17	July.....	10	1
August.....	36	17	August.....	5	0
September.....	29	19	September.....	4	0
October.....	14	8	October.....	5	0
November.....	23	8	November.....	4	2
December.....	24	17	December.....	0	0
Total.....	477	262	Total.....	55	8
Rate per 1,000 population...	.091	.050	Rate per 1,000 population...	.011	.002
Deaths per 100 cases, 54.9...			Deaths per 100 cases, 14.5...		
Diphtheria:			Measles:		
January.....	1,048	112	January.....	4,264	85
February.....	898	101	February.....	4,477	98
March.....	1,086	133	March.....	6,345	173
April.....	1,249	160	April.....	6,003	161
May.....	1,288	121	May.....	4,536	121
June.....	1,231	106	June.....	1,812	79
July.....	893	80	July.....	664	33
August.....	541	52	August.....	241	16
September.....	472	45	September.....	114	8
October.....	801	120	October.....	76	1
November.....	836	90	November.....	67	5
December.....	1,112	120	December.....	76	1
Total.....	11,455	1,245	Total.....	28,675	790
Rate per 1,000 population...	2.196	.239	Rate per 1,000 population...	5.498	1.515
Deaths per 100 cases, 10.9...			Deaths per 100 cases, 2.8...		

Cases reported and deaths registered in New York City, during the calendar year 1918, from certain diseases, with indicated morbidity, mortality, and fatality rates.—Continued.

	Cases.	Deaths.		Cases.	Deaths.
Poliomyelitis:			Tuberculosis (pulmonary):		
January.....	3	0	January.....	1,538	842
February.....	3	2	February.....	1,344	771
March.....	8	4	March.....	1,366	1,081
April.....	10	3	April.....	1,698	860
May.....	1	1	May.....	1,300	743
June.....	13	4	June.....	1,759	643
July.....	26	4	July.....	873	595
August.....	33	6	August.....	1,326	546
September.....	24	3	September.....	1,002	546
October.....	9	1	October.....	721	326
November.....	2	1	November.....	707	711
December.....	2	0	December.....	805	635
Total.....	134	29	Total.....	14,439	8,779
Rate per 1,000 population...	.026	.006	Rate per 1,000 population...	2.768	1.683
Deaths per 100 cases, 21.6.			Number of cases reported for each death regis- tered, 1.6.		
Pneumonia (all forms):			Tuberculosis (all forms):		
January.....		1,472	January.....		973
February.....		1,304	February.....		884
March.....		2,296	March.....		1,198
April.....		1,747	April.....		903
May.....		855	May.....		868
June.....		445	June.....		765
July.....		354	July.....		700
August.....		313	August.....		653
September.....	350	470	September.....		632
October.....	15,230	7,184	October.....		926
November.....	4,325	2,669	November.....		783
December.....	2,757	1,519	December.....		724
Total.....		20,628	Total.....		10,099
Rate per 1,000 population...		3.955	Rate per 1,000 population...		1.936
Scarlet fever:			Typhoid fever:		
January.....	579	30	January.....	30	6
February.....	546	22	February.....	28	8
March.....	634	16	March.....	35	13
April.....	579	26	April.....	53	6
May.....	512	25	May.....	51	10
June.....	321	20	June.....	164	13
July.....	206	13	July.....	170	30
August.....	105	5	August.....	265	30
September.....	164	1	September.....	209	32
October.....	244	8	October.....	125	28
November.....	206	4	November.....	52	10
December.....	364	7	December.....	56	10
Total.....	4,460	177	Total.....	1,238	196
Rate per 1,000 population...	.855	.034	Rate per 1,000 population...	.237	.038
Deaths per 100 cases, 4.0.			Deaths per 100 cases, 15.8.		
Smallpox:			Typhus fever:		
January.....	1		January.....	0	
February.....	3		February.....	0	
March.....	8		March.....	0	
April.....	3		April.....	1	
May.....	3		May.....	3	
June.....	2		June.....	2	
July.....	1		July.....	0	
August.....	0		August.....	1	
September.....	0		September.....	1	
October.....	0		October.....	0	
November.....	0		November.....	0	
December.....	0		December.....	0	
Total.....	21		Total.....	8	
Rate per 1,000 population...	.004		Rate per 1,000 population...	.002	

Cases of anthrax reported, 1918.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
California.....	4				1	3	1		6	3	1		19	California.
Florida.....	1												1	Florida.
Kansas.....	1												1	Kansas.
Louisiana.....	1	1	2	0	0	7	1	0	1	0	0	0	13	Louisiana.
Maryland.....		1											1	Maryland.
Massachusetts.....	1	5	2	1		3	4	1	3		3		23	Massachusetts.
New Jersey.....						6	1		1	1	1	1	10	New Jersey.
New York.....	3	2	1	3	2	1	1	0	1	1	2	3	20	New York.
Ohio.....			1				2		1	1	2		2	Ohio.
Pennsylvania.....	1			2	1	1	2			1	1	1	11	Pennsylvania.
Porto Rico.....					1		1	1		1			2	Porto Rico.
Texas.....					1		1	1					3	Texas.

Deaths registered as due to anthrax, 1918.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
California.....	1							1	1	1	1		5	California.
Connecticut.....								1					1	Connecticut.
Florida.....	1												1	Florida.
Hawaii.....	1						1				1		3	Hawaii.
Indiana.....		1		1									2	Indiana.
Iowa.....								1	2				3	Iowa.
Kansas.....			1								1		2	Kansas.
Louisiana.....	1	1				1	1				1		5	Louisiana.
Maine.....	1												1	Maine.
Massachusetts.....	1		1				2		1	1		1	7	Massachusetts.
New Jersey.....						1			1				1	New Jersey.
New York.....	1		1	1	1	1		2			1		8	New York.
Ohio.....			1							1			1	Ohio.
Pennsylvania.....	1				1		1	2			2		7	Pennsylvania.
Porto Rico.....	1				1		1					1	4	Porto Rico.
South Carolina.....											1		1	South Carolina.
Texas.....			1	1		1	1						4	Texas.

Anthrax—Cases reported 1916 and 1917; cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1918.

State.	Estimated population, July 1, 1918.	Total cases reported, 1916.	Total cases reported, 1917.	1918				State.
				Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	
California.....	3,119,412	12	23	19	.006	5	.002	California.
Colorado.....	4	Colorado.
Connecticut.....	1,286,268	1	1	1	.001	Connecticut.
Florida.....	1,958,877	1	.001	1	.001	Florida.
Hawaii.....	223,419	2	.009	Hawaii.
Illinois.....	6,317,734	2	0	Illinois.
Indiana.....	2,854,167	3	.001	Indiana.
Iowa.....	2,224,771	3	.001	Iowa.
Kansas.....	1,874,195	4	2	1	2	.001	Kansas.
Louisiana.....	1,884,778	4	27	13	.007	5	.003	Louisiana.
Maine.....	782,191	1	.001	Maine.
Maryland.....	1,384,539	1	1	.001	0	Maryland.
Massachusetts.....	3,832,790	31	54	23	.006	7	.002	Massachusetts.
Missouri.....	3,448,498	1	Missouri.
New Jersey.....	3,080,371	7	21	10	.003	1	New Jersey.
New York.....	10,646,989	15	32	20	.002	8	.001	New York.
Ohio.....	5,273,814	1	3	2	1	Ohio.
Pennsylvania.....	8,798,067	31	25	11	.001	7	.001	Pennsylvania.
Porto Rico.....	1,247,677	2	4	.003	Porto Rico.
South Carolina.....	1,600,334	1	.001	South Carolina.
Texas.....	4,601,279	3	3	4	.001	Texas.
Vermont.....	366,192	2	0	Vermont.
Wisconsin.....	2,553,983	2	0	Wisconsin.

Cerebrospinal meningitis—Monthly averages of cases reported during the years for which data are available, 1913-1917.

State.	Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Average per year.	State.
Alabama.....	1913, 1915-1917—4 years.....	10	11	8	14	10	6	4	2	2	3	3	6	79	Alabama.
Arizona.....	1914—1 year.....	1	2	3	0	0	0	0	0	0	0	1	1	8	Arizona.
Arkansas.....	1917—1 year.....	1	2	0	0	2	0	0	1	1	0	1	1	12	Arkansas.
California.....	1913-1917—5 years.....	8	5	10	7	6	5	9	5	2	2	6	8	76	California.
Connecticut.....	do.....	6	9	16	21	13	10	4	4	5	3	2	3	96	Connecticut.
District of Columbia.....	do.....	(1)	(1)	2	(1)	2	(1)	(1)	(1)	(1)	(1)	(1)	2	11	District of Columbia.
Hawaii.....	do.....	1	1	(1)	(1)	(1)	(1)	1	(1)	(1)	(1)	0	(1)	8	Hawaii.
Illinois.....	1913, 1914, 1917—3 years.....	20	14	25	30	31	25	29	21	23	19	18	19	274	Illinois.
Indiana.....	1914-1917—4 years.....	8	4	12	10	7	6	2	3	4	3	2	5	66	Indiana.
Iowa.....	1913, 1914, 1916, 1917—4 years.....	3	3	4	5	2	1	1	2	1	3	2	3	32	Iowa.
Kansas.....	1913-1917—5 years.....	5	6	8	8	7	3	3	2	4	3	4	9	62	Kansas.
Louisiana.....	1914-1917—4 years.....	4	4	4	4	1	1	2	(1)	(1)	2	3	8	36	Louisiana.
Maine.....	1917—1 year.....	0	2	0	0	0	1	0	0	1	0	1	1	6	Maine.
Maryland.....	1915-1917—3 years.....	4	4	8	14	15	11	8	4	3	3	4	8	86	Maryland.
Massachusetts.....	1913, 1916, 1917—3 years.....	13	13	19	15	17	23	10	13	13	11	13	15	175	Massachusetts.
Minnesota.....	1913-1917—5 years.....	2	9	19	23	16	8	5	3	2	3	2	4	96	Minnesota.
Mississippi.....	1914-1917—4 years.....	4	6	6	3	5	2	(1)	2	4	4	5	6	49	Mississippi.
Montana.....	1913, 1914, 1916, 1917—4 years.....	(1)	(1)	(1)	1	1	2	(1)	(1)	1	1	(1)	(1)	12	Montana.
Nevada.....	1913, 1915, 1917—3 years.....	2	1	1	0	1	(1)	30	(1)	27	25	21	24	8	Nevada.
New York.....	1913-1917—5 years.....	26	29	39	38	49	44	30	24	27	25	21	24	376	New York.
Ohio.....	1914-1917—4 years.....	13	22	38	59	40	25	19	16	11	17	15	17	292	Ohio.
Oregon.....	1914, 1916-1917—3 years.....	(1)	24	76	116	(1)	0	(1)	33	20	(1)	(1)	(1)	6	Oregon.
Pennsylvania.....	1916-1917—2 years.....	17	24	76	116	83	70	26	33	20	20	16	(1)	531	Pennsylvania.
Porto Rico.....	1917—1 year.....	0	0	1	2	0	0	0	0	0	0	1	0	5	Porto Rico.
Rhode Island.....	1916-1917—2 years.....	3	2	2	8	5	3	8	2	1	4	2	2	42	Rhode Island.
South Carolina.....	1913-1917—5 years.....	2	1	2	2	1	4	1	1	1	1	1	27	44	South Carolina.
South Dakota.....	1913, 1914, 1917—3 years.....	0	1	(1)	5	2	1	1	1	3	2	0	2	22	South Dakota.
Texas.....	1915, 1917—2 years.....	7	9	8	5	5	8	4	2	3	1	2	9	63	Texas.
Vermont.....	1916-1917—2 years.....	0	3	0	(1)	0	2	2	0	0	0	0	0	6	Vermont.
Virginia.....	1915-1917—3 years.....	20	17	25	22	14	20	19	12	15	10	10	14	198	Virginia.
Washington.....	1913-1917—5 years.....	1	1	1	2	3	2	1	1	1	2	1	2	18	Washington.
West Virginia.....	1917—1 year.....	7	6	15	10	2	1	5	1	1	1	2	0	40	West Virginia.
Wisconsin.....	1913-1917—5 years.....	10	8	13	11	9	12	6	7	6	7	6	6	101	Wisconsin.
Wyoming.....	1913, 1914, 1916, 1917—4 years.....	0	(1)	(1)	1	(1)	0	0	(1)	0	0	(1)	2	6	Wyoming.

1 Less than one.

Cases of cerebrospinal meningitis reported, 1918.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	22	52	34	15	20	9	8	2	12	1	4	9	188	Alabama.
Arkansas.....	45	55	47	16	7	2	18	1	2	1	13	13	204	Arkansas.
California.....	27	26	32	29	24	10	18	17	18	11	6	7	225	California.
Colorado.....	3	1	1	1	2	1	1	1	1	1	1	1	9	Colorado.
Connecticut.....	21	10	12	15	11	11	9	7	5	9	5	3	118	Connecticut.
District of Columbia.....	37	31	11	8	16	5	1	0	1	4	4	0	118	District of Columbia.
Florida.....	5	29	14	3	5	19	6	3	1	3	3	3	75	Florida.
Illinois.....	48	58	69	62	53	19	26	14	16	8	4	12	389	Illinois.
Indiana.....	8	16	35	21	19	8	6	4	7	11	1	4	140	Indiana.
Iowa.....	8	12	9	5	2	3	3	1	1	5	0	1	50	Iowa.
Kansas.....	32	53	56	23	24	11	3	7	2	4	0	16	231	Kansas.
Louisiana.....	159	64	48	28	21	18	11	6	4	17	11	7	394	Louisiana.
Maine.....	0	0	4	0	0	1	0	0	7	0	2	12	26	Maine.
Maryland.....	18	29	35	43	27	12	17	13	7	22	14	7	244	Maryland.
Massachusetts.....	21	35	51	67	36	36	25	18	18	31	19	21	378	Massachusetts.
Michigan.....	11	14	11	8	8	9	9	7	4	8	2	4	65	Michigan.
Minnesota.....	10	10	13	10	5	6	1	1	3	1	1	2	68	Minnesota.
Mississippi.....	15	40	25	21	5	3	2	1	1	1	4	2	125	Mississippi.
Montana.....	3	2	2	2	1	3	3	1	1	1	1	1	18	Montana.
Nebraska.....	4	4	7	7	1	1	1	1	1	1	1	1	26	Nebraska.
New Jersey.....	22	24	33	47	35	17	20	21	6	18	15	7	295	New Jersey.
New York.....	43	51	90	137	99	43	40	48	41	17	83	38	670	New York.
North Carolina.....	18	25	21	8	7	5	7	9	3	5	3	11	123	North Carolina.
Ohio.....	49	51	57	44	23	21	18	31	14	14	8	12	342	Ohio.
Oregon.....	0	0	0	2	1	0	1	0	0	0	0	1	5	Oregon.
Pennsylvania.....	27	42	79	92	95	29	28	31	19	15	21	13	491	Pennsylvania.
Rhode Island.....	7	7	8	13	11	6	4	1	3	1	2	1	64	Rhode Island.
South Carolina.....	108	107	82	51	11	6	5	5	1	2	2	1	339	South Carolina.
South Dakota.....	3	6	4	4	4	1	3	3	3	4	5	4	45	South Dakota.
Texas.....	46	65	34	15	4	7	3	4	2	2	2	4	188	Texas.
Vermont.....	1	1	2	1	1	1	1	1	1	1	1	1	5	Vermont.
Virginia.....	53	38	51	58	28	9	12	15	15	28	13	20	314	Virginia.
Washington.....	5	8	10	3	13	7	3	1	4	4	4	7	68	Washington.
West Virginia.....	3	3	4	0	13	0	1	4	2	2	4	0	24	West Virginia.
Wisconsin.....	14	14	25	27	26	17	10	10	6	11	4	11	181	Wisconsin.
Wyoming.....	1	4	1	1	1	2	1	1	1	1	4	1	15	Wyoming.

Deaths registered as due to cerebrospinal meningitis, 1918.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	13	9	18	11	6	5	4	3	0	1	6	6	82	Alabama.
Arizona.....	2	11	11	5	5	2	2	3	3	3	5	4	51	Arizona.
Arkansas.....	27	37	27	17	32	8	10	27	8	14	12	30	225	Arkansas.
California.....	13	19	18	21	12	10	3	2	17	7	2	11	160	California.
Connecticut.....	7	5	4	5	7	7	3	2	1	1	2	44	Connecticut.
District of Columbia.....	4	7	4	6	2	2	2	1	28	District of Columbia.
Florida.....	7	7	4	2	2	4	1	3	2	2	37	Florida.
Hawaii.....	7	0	0	2	0	2	4	1	0	2	2	11	Hawaii.
Illinois.....	29	16	28	18	14	12	15	8	0	5	4	11	164	Illinois.
Indiana.....	3	3	6	11	4	3	5	4	1	2	1	2	45	Indiana.
Iowa.....	9	14	7	5	11	2	5	2	2	4	2	6	60	Iowa.
Kansas.....	14	26	22	15	5	3	9	4	4	12	8	9	131	Kansas.
Kentucky.....	51	74	70	62	38	45	30	35	26	44	36	25	531	Kentucky.
Louisiana.....	21	13	12	7	4	5	2	3	3	0	2	3	82	Louisiana.
Maine.....	2	1	5	5	2	2	3	2	5	2	1	30	Maine.
Maryland.....	11	8	17	15	12	7	7	7	1	15	5	3	108	Maryland.
Massachusetts.....	16	23	30	34	20	20	15	8	12	12	14	20	224	Massachusetts.
Michigan.....	28	30	21	33	36	28	21	12	15	18	11	15	268	Michigan.
Minnesota.....	2	2	5	2	1	2	2	2	2	1	1	1	23	Minnesota.
Missouri.....	4	3	11	8	1	2	2	2	0	0	4	37	Missouri.
Nebraska.....	Nebraska.
New Jersey.....	7	4	11	17	11	1	7	4	4	1	1	4	69	New Jersey.
New York.....	28	41	63	43	65	30	27	25	26	40	22	33	443	New York.
Ohio.....	13	21	32	21	11	16	10	12	11	5	5	4	161	Ohio.
Oklahoma.....	3	6	6	4	7	1	2	1	0	0	0	1	31	Oklahoma.
Oregon.....	0	0	0	3	1	2	0	0	1	0	0	1	8	Oregon.
Rhode Island.....	3	1	4	7	4	5	2	1	3	4	1	1	38	Rhode Island.
South Carolina.....	33	40	39	22	5	15	10	3	5	20	4	11	207	South Carolina.
South Dakota.....	6	6	4	5	4	4	2	3	4	5	4	43	South Dakota.
Texas.....	31	46	27	16	5	8	7	9	2	4	5	4	164	Texas.
Utah.....	1	2	1	1	1	1	1	7	Utah.
Vermont.....	1	1	3	Vermont.
Washington.....	9	4	10	9	11	3	9	1	2	15	3	5	81	Washington.
Wisconsin.....	31	38	37	42	35	26	23	23	7	13	39	51	365	Wisconsin.
Wyoming.....	3	1	1	1	1	1	4	12	Wyoming.

Cerebrospinal meningitis—Average number of cases reported per annum and average indicated morbidity rates, 1913-1917; cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1918.

State.	Estimated population July 1, 1918.	Average.		1918					State.
		Years.	Cases reported per annum.	Cases per 1,000 inhabitants.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	
Alabama.....	2,395,270	1913, 1915-1917—4 years.....	79	0.084	188	0.078	82	0.084	Alabama.
Arizona.....	2,272,034	1914—1 year.....	18	.003	5	.187	Arizona.
Arkansas.....	1,792,965	1917—1 year.....	12	.007	204	225	.125	Arkansas.
California.....	3,119,432	1913-1917—5 years.....	76	.027	225	.072	100	.051	California.
Colorado.....	1,014,581009	Colorado.
Connecticut.....	1,286,268	1913-1917—5 years.....	96	.078	118	.080	44	.084	Connecticut.
District of Columbia.....	1,401,681	do.....	11	.031	118	28	.070	District of Columbia.
Florida.....	938,877	1913-1917—5 years.....	8	.008	118	27	.039	Florida.
Hawaii.....	223,419	1913-1917—5 years.....	8	.008	11	.049	Hawaii.
Illinois.....	6,317,734	1913, 1914, 1917—3 years.....	274	.005	380	.062	164	.026	Illinois.
Indiana.....	2,854,167	1914, 1917—4 years.....	66	.004	140	.049	45	.016	Indiana.
Iowa.....	2,224,771	1913, 1914, 1916, 1917—4 years.....	32	.014	50	69	.031	Iowa.
Kansas.....	1,874,195	1913-1917—5 years.....	62	.004	231	.123	131	.070	Kansas.
Kentucky.....	2,408,547	536	.223	Kentucky.
Louisiana.....	1,884,778	1914-1917—4 years.....	36	.020	394	.209	82	.044	Louisiana.
Maine.....	1,782,191	1917—1 year.....	6	.008	26	30	.038	Maine.
Maryland.....	1,384,589	1915-1917—3 years.....	88	.003	244	.176	108	.078	Maryland.
Massachusetts.....	3,832,780	1913, 1916, 1917—3 years.....	175	.048	378	.099	224	.058	Massachusetts.
Michigan.....	3,133,678	268	.086	Michigan.
Minnesota.....	2,345,287	1913-1917—5 years.....	96	.043	88	.029	23	.010	Minnesota.
Mississippi.....	2,001,466	1914-1917—4 years.....	49	.025	125	.062	6	.003	Mississippi.
Missouri.....	3,448,468	107	.031	Missouri.
Montana.....	3,486,376	1913, 1914, 1916, 1917—4 years.....	12	.027	18	.037	37	.029	Montana.
Nebraska.....	1,296,877	26	Nebraska.
Nevada.....	1,114,742	1913, 1915, 1917—3 years.....	8	.078	Nevada.
New Jersey.....	3,080,371	265	.085	69	.022	New Jersey.
New York.....	10,646,989	1913-1917—5 years.....	376	.037	670	.063	443	.042	New York.
North Carolina.....	2,468,025	123	.050	North Carolina.
Ohio.....	5,273,814	1914-1917—4 years.....	292	.057	342	.065	161	.031	Ohio.
Oklahoma.....	2,377,629	31	.013	Oklahoma.
Oregon.....	2,888,243	1914, 1916, 1917—3 years.....	6	.007	5	8	.009	Oregon.
Pennsylvania.....	8,798,067	1916, 1917—2 years.....	531	.062	491	Pennsylvania.
Porto Rico.....	1,247,677	1917—1 year.....	5	.004	Porto Rico.
Rhode Island.....	1,637,415	1916, 1917—2 years.....	42	.068	64	.100	38	.060	Rhode Island.
South Carolina.....	1,660,934	1913-1917—5 years.....	44	.027	339	.216	207	.125	South Carolina.

South Dakota.....	735,424	1912, 1914, 1917—3 years.....	13	.019	45	.061	43	.058	95.6	South Dakota.
Texas.....	4,601,279	1915, 1917—2 years.....	63	.014	188	.041	164	.086	87.2	Texas.
Utah.....	453,648						7	.015		Utah.
Vermont.....	366,192	1916, 1917—2 years.....	6	.016	5	.014	3	.008	60.0	Vermont.
Virginia.....	2,234,030	1915-1917—3 years.....	198	.090	314	.141				Virginia.
Washington.....	1,660,578	1913-1917—5 years.....	18	.012	68		81	.049		Washington.
West Virginia.....	1,439,165	1917—1 year.....	40	.028	24	.017				West Virginia.
Wisconsin.....	2,553,983	1913-1917—5 years.....	101	.041	181		365	.143		Wisconsin.
Wyoming.....	190,380	1913, 1914, 1916, 1917—4 years.....	6	.034	15	.073	12	.063	80.0	Wyoming.

Dengue—Cases reported and deaths registered, 1918.

	Cases.	Deaths.		Cases.	Deaths.		Cases.	Deaths.
California:			Louisiana:			Texas:		
October.....	1	0	February.....	1	0	March.....	13	
Florida:			May.....	72	0	April.....		1
February.....	8	0	June.....	1	0	June.....		
September.....	1	0	Porto Rico:			September.....	99	
October.....	2	0	July.....	145		October.....	9	1
December.....	1	0	August.....	200		November.....	3	2

Diphtheria. — Monthly averages of cases reported during the years for which data are available, 1913-1917.

State.	Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Average per year.	State.
Alabama.....	1913, 1915-1917—4 years.....	41	31	35	25	26	14	20	60	123	124	91	57	647	Alabama.
Arizona.....	1914, 1916—2 years.....	2	3	4	4	4	2	3	1	1	5	9	2	40	Arizona.
Arkansas.....	1917—1 year.....	29	23	13	191	240	200	133	142	40	53	33	73	288	Arkansas.
California.....	1913-1917—5 years.....	272	239	256	191	191	200	133	142	40	53	33	73	2,731	California.
Colorado.....	1914, 1916, 1917—3 years.....	33	37	54	43	41	31	30	36	49	66	65	70	566	Colorado.
Connecticut.....	1913-1917—5 years.....	294	199	181	165	164	132	128	96	131	276	331	266	2,343	Connecticut.
District of Columbia.....	do.....	67	40	55	45	37	20	18	16	36	121	128	98	681	District of Columbia.
Hawaii.....	1913—1 year.....	16	13	48	15	9	10	11	11	15	10	9	13	178	Hawaii.
Idaho.....	1913—1 year.....	12	10	10	3	0	5	4	4	1	1	2	1	39	Idaho.
Illinois.....	1913, 1914, 1917—3 years.....	1,266	933	1,117	903	932	828	715	573	889	1,123	1,579	1,287	12,247	Illinois.
Indiana.....	1913-1917—5 years.....	1,357	933	1,117	903	932	828	715	573	889	1,123	1,579	1,287	12,247	Indiana.
Iowa.....	1913, 1914, 1916, 1917—4 years.....	130	99	99	133	138	106	116	106	330	332	623	448	3,578	Iowa.
Kansas.....	1913-1917—5 years.....	130	99	99	133	138	106	116	106	330	332	623	448	3,578	Kansas.
Louisiana.....	1914, 1917—3 years.....	113	73	11	53	38	32	33	32	85	133	354	233	1,564	Louisiana.
Maine.....	1916-1917—2 years.....	113	73	11	53	38	32	33	32	85	133	354	233	1,564	Maine.
Maryland.....	1913-1917—5 years.....	231	20	11	13	38	32	33	32	85	133	354	233	2,007	Maryland.
Massachusetts.....	1913, 1916, 1917—3 years.....	771	685	714	638	668	612	474	484	546	706	827	913	8,113	Massachusetts.
Michigan.....	1913-1917—5 years.....	500	278	436	365	288	335	296	305	380	630	775	664	3,800	Michigan.
Minnesota.....	1913-1917—5 years.....	314	255	247	243	297	224	204	207	231	396	377	295	3,400	Minnesota.
Mississippi.....	1914-1917—4 years.....	78	54	27	29	23	34	42	63	153	212	173	199	1,057	Mississippi.
Montana.....	1913, 1914, 1916, 1917—4 years.....	16	10	20	15	17	15	20	13	17	22	26	30	228	Montana.
Nevada.....	1913, 1915, 1917—3 years.....	1	1	0	1	1	(1)	2	1	(1)	2	1	1	10	Nevada.
New Jersey.....	1913-1917—5 years.....	630	527	444	517	520	456	398	300	404	658	763	674	6,261	New Jersey.
New York.....	do.....	2,031	1,921	1,924	1,740	1,820	1,850	1,403	989	1,118	1,719	1,780	1,966	20,361	New York.
North Dakota.....	1917—1 year.....	33	36	36	40	24	33	46	34	61	27	78	95	339	North Dakota.
Ohio.....	1914-1917—4 years.....	832	649	600	472	466	409	350	436	788	1,266	1,324	939	8,551	Ohio.
Oklahoma.....	1913-1917—5 years.....	112	72	58	47	31	22	22	49	154	276	230	206	1,279	Oklahoma.
Oregon.....	1913-1917—5 years.....	32	21	24	21	21	22	15	17	16	25	39	38	291	Oregon.
Pennsylvania.....	1916, 1917—2 years.....	1,519	1,230	1,169	971	998	870	839	969	1,374	1,948	1,929	1,550	15,297	Pennsylvania.
Porto Rico.....	1913-1917—5 years.....	113	103	112	102	7	13	13	13	66	125	110	97	1,443	Porto Rico.
Rhode Island.....	1914, 1916, 1917—3 years.....	97	89	65	71	50	51	56	100	316	348	242	202	1,083	Rhode Island.
South Carolina.....	1913, 1914, 1917—3 years.....	33	23	24	24	17	20	16	15	13	16	36	20	1,747	South Carolina.
South Dakota.....	1913-1917—5 years.....	156	110	74	92	46	41	69	53	139	358	456	277	1,254	South Dakota.
Texas.....	1915, 1917—2 years.....	33	24	23	23	17	22	17	20	29	45	42	38	1,871	Texas.
Utah.....	1913-1917—5 years.....	42	27	25	33	33	22	25	24	25	66	67	52	447	Utah.
Vermont.....	1914-1917—4 years.....	262	244	120	86	64	53	25	24	445	659	618	327	3,386	Vermont.
Virginia.....	do.....	48	40	37	43	37	53	28	27	33	35	50	45	1,188	Virginia.
Washington.....	1917—1 year.....	82	55	43	38	36	29	18	70	180	125	173	73	927	Washington.
West Virginia.....	1913-1917—5 years.....	255	167	198	180	160	126	113	158	140	248	259	247	2,251	West Virginia.
Wisconsin.....	do.....	3	4	5	3	1	(1)	2	1	6	6	7	8	46	Wisconsin.
Wyoming.....	do.....	3	4	5	3	1	(1)	2	1	6	6	7	8	46	Wyoming.

1 Less than one.

Cases of diphtheria reported, 1918.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	53	39	40	26	16	17	60	126	150	120	57	43	747	Alabama.
Arizona.....	10	1	3	1	3	4	4	4	3	1	2	7	38	Arizona.
Arkansas.....	17	19	15	16	19	17	19	19	13	14	11	57	113	Arkansas.
California.....	354	250	306	284	290	246	222	188	197	381	189	210	3,117	California.
Colorado.....	68	36	48	62	86	83	96	96	58	46	23	22	630	Colorado.
Connecticut.....	322	173	203	208	132	132	139	204	204	248	209	249	2,342	Connecticut.
District of Columbia.....	57	37	49	55	72	44	23	13	21	43	47	87	512	District of Columbia.
Florida.....	25	31	32	8	10	13	23	14	36	43	45	43	326	Florida.
Illinois.....	1,028	649	751	665	565	487	362	362	604	990	703	705	8,972	Illinois.
Indiana.....	1,882	334	301	264	201	155	176	185	222	173	216	230	2,830	Indiana.
Iowa.....	88	73	73	74	68	62	62	51	78	115	96	75	911	Iowa.
Kansas.....	214	88	128	138	92	57	45	59	148	116	118	90	1,293	Kansas.
Louisiana.....	84	84	51	52	96	288	194	145	79	42	35	14	1,201	Louisiana.
Maine.....	20	15	54	15	9	15	17	30	15	20	29	14	383	Maine.
Maryland.....	165	125	92	93	91	59	54	58	88	152	122	162	1,261	Maryland.
Massachusetts.....	960	678	744	667	663	473	453	337	430	410	532	584	6,321	Massachusetts.
Michigan.....	593	498	452	379	368	342	454	302	455	693	637	709	5,912	Michigan.
Minnesota.....	314	211	339	362	343	265	232	226	221	411	321	365	3,600	Minnesota.
Mississippi.....	72	54	335	35	40	49	50	105	103	109	104	82	1,309	Mississippi.
Montana.....	58	25	21	30	51	19	28	15	14	16	21	11	309	Montana.
Nebraska.....	45	34	21	57	104	69	61	36	96	80	32	71	706	Nebraska.
New Jersey.....	413	361	413	485	342	303	341	204	324	374	422	483	4,465	New Jersey.
New York.....	1,543	1,268	1,554	1,649	1,090	1,587	1,226	831	819	1,230	1,300	1,754	16,501	New York.
North Carolina.....	75	51	49	44	40	22	38	65	143	321	171	97	1,327	North Carolina.
North Dakota.....	39	38	49	62	31	31	30	24	38	11	9	9	391	North Dakota.
Ohio.....	618	619	607	385	333	381	330	338	459	549	509	399	5,507	Ohio.
Oregon.....	7	15	10	8	14	22	11	13	19	17	21	25	182	Oregon.
Pennsylvania.....	1,003	1,049	1,046	1,002	850	824	779	752	1,095	1,569	1,118	1,291	12,378	Pennsylvania.
Porto Rico.....	7	8	11	11	17	7	10	19	21	63	70	7	138	Porto Rico.
Rhode Island.....	93	65	79	95	70	74	55	29	70	63	102	130	895	Rhode Island.
South Carolina.....	99	45	68	93	61	8	80	84	221	79	147	94	1,039	South Carolina.
South Dakota.....	26	15	17	24	6	16	30	27	14	44	26	27	273	South Dakota.
Texas.....	128	100	107	61	76	50	48	76	70	38	42	39	833	Texas.
Utah.....	46	41	52	45	21	47	48	45	44	85	69	51	594	Utah.
Vermont.....	17	11	14	17	8	9	21	13	38	38	19	35	241	Vermont.
Virginia.....	121	111	96	74	37	38	42	132	113	272	199	129	1,367	Virginia.
Washington.....	93	173	58	45	57	38	33	38	93	124	53	57	862	Washington.
West Virginia.....	241	28	19	23	13	13	31	20	46	28	86	32	345	West Virginia.
Wisconsin.....	156	138	133	158	100	138	158	100	138	160	125	126	1,774	Wisconsin.
Wyoming.....	20	50	18	18	25	13	6	11	24	6	7	4	202	Wyoming.

Deaths registered as due to diphtheria, 1918.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	30	10	11	8	2	3	12	26	27	38	18	10	195	Alabama.
Arizona.....	1	1	2	3	4	1	3	8	9	18	1	10	17	Arizona.
Arkansas.....	19	7	3	7	4	4	4	4	9	18	1	17	104	Arkansas.
California.....	21	18	19	18	18	17	13	10	19	15	16	21	204	California.
Connecticut.....	12	12	23	8	13	10	9	9	18	29	21	27	201	Connecticut.
Delaware.....	4	0	2	1	2	1	0	1	2	8	3	2	27	Delaware.
District of Columbia.....	4	4	1	2	4	0	1	3	4	14	40	District of Columbia.
Florida.....	10	6	8	3	2	2	5	6	12	14	9	9	86	Florida.
Hawaii.....	2	3	2	2	2	1	14	9	1	17	Hawaii.
Illinois.....	14	105	103	100	82	65	69	61	77	154	103	89	1,152	Illinois.
Indiana.....	15	42	47	47	25	14	21	23	23	35	40	39	417	Indiana.
Iowa.....	13	16	16	14	13	8	13	12	26	33	25	23	211	Iowa.
Kansas.....	19	10	14	18	10	7	1	18	8	13	16	16	129	Kansas.
Kentucky.....	27	14	20	18	9	7	4	18	36	37	35	17	234	Kentucky.
Louisiana.....	16	12	5	16	1	5	4	6	9	7	13	6	102	Louisiana.
Maine.....	11	8	5	5	1	4	4	2	13	3	15	180	Maine.
Maryland.....	15	13	8	14	0	2	5	4	4	3	13	15	127	Maryland.
Massachusetts.....	90	54	55	68	40	30	34	25	35	75	34	72	594	Massachusetts.
Michigan.....	78	67	67	38	41	39	46	25	36	78	72	81	638	Michigan.
Minnesota.....	16	16	26	18	33	21	19	16	23	42	26	18	274	Minnesota.
Missouri.....	17	6	8	8	9	8	6	16	9	11	6	9	202	Missouri.
Nebraska.....	54	43	46	40	33	28	27	18	36	54	50	54	485	Nebraska.
New Jersey.....	172	130	173	206	160	134	105	79	83	189	140	181	1,772	New Jersey.
New York.....	4	6	8	8	2	2	2	7	7	2	2	2	32	New York.
North Dakota.....	North Dakota.
Ohio.....	61	55	50	36	34	22	19	23	42	56	49	50	497	Ohio.
Oklahoma.....	7	15	13	7	5	2	5	2	7	21	14	19	124	Oklahoma.
Oregon.....	1	2	0	1	3	1	0	5	2	4	5	6	27	Oregon.
Pennsylvania.....	192	129	159	131	108	112	84	73	133	257	194	198	1,770	Pennsylvania.
Porto Rico.....	8	3	3	6	3	1	2	11	3	5	9	3	55	Porto Rico.
Rhode Island.....	13	8	12	13	7	10	6	3	3	9	9	11	100	Rhode Island.
South Carolina.....	3	2	5	6	4	3	4	8	11	20	10	5	81	South Carolina.
South Dakota.....	2	2	2	2	3	4	3	1	1	4	25	South Dakota.
Texas.....	31	30	25	12	12	6	7	9	10	20	15	20	197	Texas.
Utah.....	7	7	6	7	5	4	4	4	6	5	7	5	68	Utah.
Vermont.....	3	1	1	1	3	2	2	2	2	3	1	2	23	Vermont.
Washington.....	8	4	5	8	4	6	2	5	2	18	7	11	83	Washington.
Wisconsin.....	25	18	14	23	25	17	25	20	14	27	22	20	250	Wisconsin.
Wyoming.....	2	5	4	1	2	2	1	1	3	1	2	24	Wyoming.

Diphtheria—Average number of cases reported per annum and average indicated morbidity rates, 1913-1917; cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1918.

State.	Estimated population July 1, 1918.	Average.		1918					State.
		Years.	Cases reported per annum.	Cases per 1,000 inhabitants.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	
Alabama.....	2,395,270	1913, 1915-1917-4 years.....	647	0.28	747	0.31	195	0.08	Alabama.
Arizona.....	272,034	1914, 1916-2 years.....	40	.16	38	.14	17	.06	Arizona.
Arkansas.....	1,792,965	1917-1 year.....	288	.16	173	.09	104	.06	Arkansas.
California.....	3,119,412	1913, 1917-5 years.....	2,731	.96	3,117	1.00	204	.07	California.
Colorado.....	1,014,581	1914, 1916, 1917-3 years.....	566	.59	620	.61	201	.16	Colorado.
Connecticut.....	1,286,268	1913, 1917-5 years.....	2,343	1.91	2,348	1.83	201	.16	Connecticut.
Delaware.....	216,941	1913, 1917-5 years.....	681	1.90	517	1.29	27	.12	Delaware.
District of Columbia.....	401,651	1913, 1917-5 years.....	178	.84	329	.35	86	.09	District of Columbia.
Florida.....	938,877	1913, 1917-5 years.....	178	.84	329	.35	17	.08	Florida.
Hawaii.....	223,419	1913-1 year.....	29	.08	Hawaii.
Idaho.....	461,766	1913, 1914, 1917-3 years.....	12,247	2.03	8,075	1.28	1,152	.18	Idaho.
Illinois.....	6,317,734	1913, 1917-5 years.....	3,528	1.26	2,839	.99	417	.13	Illinois.
Indiana.....	2,854,167	1913, 1914, 1916, 1917-4 years.....	732	.34	911	.41	211	.09	Indiana.
Iowa.....	2,224,771	1913, 1917-5 years.....	1,364	.87	1,293	.69	129	.07	Iowa.
Kansas.....	1,874,195	1913, 1917-5 years.....	1,054	.58	1,201	.64	234	.10	Kansas.
Kentucky.....	2,408,547	1914, 1917-4 years.....	1,054	.58	1,201	.64	102	.03	Kentucky.
Louisiana.....	1,824,778	1916, 1917-2 years.....	354	1.46	1,242	.33	120	.08	Louisiana.
Maine.....	782,191	1913, 1917-5 years.....	2,007	2.57	1,261	1.81	187	.10	Maine.
Maryland.....	1,884,569	1913, 1916, 1917-3 years.....	8,113	2.20	1,261	1.81	187	.10	Maryland.
Massachusetts.....	3,832,478	1913, 1916, 1917-3 years.....	2,007	2.57	1,261	1.81	187	.10	Massachusetts.
Michigan.....	5,135,438	1913, 1917-5 years.....	3,490	1.82	3,603	1.83	273	.12	Michigan.
Minnesota.....	2,005,466	1913, 1917-5 years.....	1,057	1.55	1,188	1.53	137	.07	Minnesota.
Mississippi.....	2,005,466	1914, 1917-4 years.....	1,057	1.55	1,188	1.53	137	.07	Mississippi.
Missouri.....	3,438,498	1913, 1914, 1916, 1917-4 years.....	228	.51	309	.64	384	.11	Missouri.
Montana.....	1,296,877	1913, 1914, 1916, 1917-4 years.....	228	.51	309	.64	103	.08	Montana.
Nebraska.....	1,114,742	1913, 1915, 1917-3 years.....	10	.10	706	.54	103	.08	Nebraska.
Nevada.....	3,080,371	1913, 1917-5 years.....	6,261	2.17	4,465	1.45	485	.16	Nevada.
New Jersey.....	2,468,099	1913, 1917-5 years.....	20,361	2.02	16,501	1.56	1,772	.17	New Jersey.
New York.....	2,468,095	do.....	20,361	2.02	1,327	1.54	35	.04	New York.
North Carolina.....	701,437	1917-1 year.....	530	.70	391	.49	497	.09	North Carolina.
North Dakota.....	5,273,814	1914, 1917-4 years.....	8,551	1.67	5,507	1.04	124	.05	North Dakota.
Ohio.....	2,377,629	1913, 1915, 1917-3 years.....	1,270	.60	183	.20	27	.03	Ohio.
Oklahoma.....	2,888,243	1913, 1917-5 years.....	36	.36	183	.20	27	.03	Oklahoma.
Oregon.....	8,798,067	1916, 1917-2 years.....	15,297	1.78	12,378	1.41	1,770	.20	Oregon.
Pennsylvania.....	8,798,067	1916, 1917-2 years.....	15,297	1.78	12,378	1.41	1,770	.20	Pennsylvania.

Diphtheria.—Average number of cases reported per annum and average indicated morbidity rates, 1913-1917; cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1918.—Continued.

State.	Estimated population July 1, 1913.	Average.			1918					State.
		Years.	Cases reported per annum.	Cases per 1,000 inhabitants.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.	
Porto Rico.....	1,247,677	1914, 1915, 1917—3 years.....	143	.12	138	.11	55	.04	39.9	Porto Rico.
Rhode Island.....	637,415	1914, 1916, 1917—3 years.....	1,083	1.77	895	1.40	100	.16	11.2	Rhode Island.
South Carolina.....	1,660,934	1913-1917—5 years.....	1,747	1.09	1,039	.63	81	.05	7.8	South Carolina.
South Dakota.....	735,434	1913, 1914, 1917—3 years.....	254	.38	273	.37	25	.03	9.2	South Dakota.
Texas.....	4,601,279	1915, 1917—2 years.....	1,871	.42	833	.18	197	.04	23.6	Texas.
Utah.....	453,648	1913-1915, 1917—4 years.....	336	.80	594	1.31	68	.15	11.5	Utah.
Vermont.....	366,192	1914-1917—4 years.....	447	1.23	241	.66	23	.06	9.5	Vermont.
Virginia.....	2,234,030	1913-1917—5 years.....	3,188	1.47	1,367	.61	83	.05	9.6	Virginia.
Washington.....	1,660,578do.....	453	.31	862	.52	Washington.
West Virginia.....	1,439,165	1917—1 year.....	927	.66	345	.24	West Virginia.
Wisconsin.....	2,553,983	1913-1917—5 years.....	2,251	.91	1,774	.69	250	.10	14.1	Wisconsin.
Wyoming.....	190,380do.....	46	.26	202	1.06	24	.13	11.9	Wyoming.

Cases of influenza and pneumonia (all forms) reported, 1918—Continued.

	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	
Minnesota: Influenza.....									281	61,121	43,320	22,251	Minnesota: Influenza.
Pneumonia (all forms).....										1,485	2,126	725	Pneumonia (all forms).
Mississippi: Influenza.....	4,043	3,594	2,609	1,732	650	247	253	233	389	(¹)	(¹)	28,280	Mississippi: Influenza.
Pneumonia (all forms).....										5,044	3,607	3,037	25,438	Pneumonia (all forms).
Montana: Influenza.....										19,980	12,103	5,471	Montana: Influenza.
Pneumonia (all forms).....									31	45,591	33,777	45,862	Montana: Pneumonia.
Nebraska: Influenza.....	20	20	8	13	6	2	3		9	258,447	15,140	19,252	169	Nebraska: Influenza.
Pneumonia (all forms).....										18,272	1,281	1,474	Pneumonia (all forms).
New Jersey: Influenza.....										2,131	399,614	39,441	New Jersey: Influenza.
Pneumonia (all forms).....										424	6,727	4,184	Pneumonia (all forms).
New York: Influenza.....	74	174	362	765	368	144	118	56	2,131	399,614	65,393	39,441	33,274	New York: Influenza.
Pneumonia (all forms).....										19,578	10,136	11,092	Pneumonia (all forms).
North Carolina: Influenza.....										103,349	3	207	North Carolina: Influenza.
Pneumonia (all forms).....													Pneumonia (all forms).
North Dakota: Influenza.....	1			6					17	7,908	5,498	4,868	18,246	North Dakota: Influenza.
Pneumonia (all forms).....	1			4	3				1	103	83	62	239	North Dakota: Pneumonia.
Ohio: Influenza.....										51,612	53,664	67,912	Ohio: Influenza.
Pneumonia (lobar).....	498	343	458	556	238	85	81	67	213	1,994	1,486	1,391	7,410	Pneumonia (lobar).
Oregon: Influenza.....										8,657	10,572	8,970	28,204	Oregon: Influenza.
Pneumonia (all forms).....										53	89	45	Pneumonia (all forms).
Pennsylvania: Influenza.....	2	0	0	1	0	0	0	0	3	3,532	1,042	599	11,894	Pennsylvania: Influenza.
Pneumonia (all forms).....	1,200	1,320	1,202	1,551	703	234	219	114	169	19,250	57,750	115,503	Pneumonia (all forms).
Porto Rico: Influenza.....										147	542	564	1,259	Porto Rico: Influenza.
Pneumonia (all forms).....	2	3	1							16,581	1,702	3,607	Pneumonia (all forms).
Rhode Island: Influenza.....									9,645	77,635	18,198	2,674	Rhode Island: Influenza.
Pneumonia (all forms).....										122	252	694	Pneumonia (all forms).
South Carolina: Influenza.....									2,767	22,122	11,692	10,317	44,401	South Carolina: Influenza.
Pneumonia (all forms).....	34	92	12	47	27		2	12	6	22,122	11,692	10,317	44,401	South Carolina: Pneumonia.
South Dakota: Influenza.....	5	4	5	7	2	1			246	22,122	11,692	10,317	44,401	South Dakota: Influenza.
Pneumonia (all forms).....	35	40	49	55	36	26	9	8	22	22,122	11,692	10,317	44,401	South Dakota: Pneumonia.

Influenza, pneumonia (all forms), and both diseases combined—Deaths registered, 1918.

	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	
Alabama:														Alabama:
Influenza.....	81	54	27	37	29	7	2	1	15	2,478	1,445	1,269	5,446	Influenza.
Pneumonia (all forms).....	730	731	462	597	275	111	62	75	110	1,225	775	536	5,689	Pneumonia (all forms).
Combined.....	811	785	489	634	304	118	64	76	125	3,703	2,221	1,805	11,135	Combined.
Arizona:														Arizona:
Influenza.....	2	1	2	7	3	1	1	246	84	577	Influenza.
Pneumonia (all forms).....	81	76	84	126	66	53	23	26	19	618	762	292	2,226	Pneumonia (all forms).
Combined.....	83	77	86	133	69	53	24	26	20	848	1,008	376	2,803	Combined.
Arkansas:														Arkansas:
Influenza.....	28	24	33	15	12	1	1	20	1,066	814	1,015	3,029	Influenza.
Pneumonia (all forms).....	294	226	209	132	130	53	55	50	71	642	207	330	2,399	Pneumonia (all forms).
Combined.....	322	250	242	147	142	54	56	50	91	1,708	1,021	1,345	5,428	Combined.
California:														California:
Influenza.....	32	21	20	26	20	11	7	2	8	4,420	5,702	2,999	13,268	Influenza.
Pneumonia (all forms).....	457	415	492	441	304	215	155	171	195	961	803	639	5,268	Pneumonia (all forms).
Combined.....	489	436	512	467	324	226	162	173	203	5,381	6,505	3,638	18,536	Combined.
Connecticut:														Connecticut:
Influenza.....	33	47	42	49	15	5	2	3	300	5,158	1,022	742	7,418	Influenza.
Pneumonia (all forms).....	332	310	439	356	165	73	62	69	148	665	275	320	3,204	Pneumonia (all forms).
Combined.....	365	357	471	405	180	78	64	72	448	5,823	1,297	1,062	10,622	Combined.
Delaware:														Delaware:
Influenza.....	82	86	80	50	26	8	14	18	75	389	18	19	426	Influenza.
Pneumonia (all forms).....	834	79	91	1,443	Pneumonia (all forms).
Combined.....	82	86	80	50	26	8	14	18	75	1,223	97	110	1,869	Combined.
District of Columbia:														District of Columbia:
Influenza.....	21	11	15	10	3	1	1	37	1,471	131	327	2,028	Influenza.
Pneumonia (all forms).....	149	128	180	104	61	28	24	18	51	338	68	149	1,298	Pneumonia (all forms).
Combined.....	170	139	195	114	64	28	25	19	88	1,809	199	476	3,326	Combined.

Influenza, pneumonia (all forms), and both diseases combined—Deaths registered, 1918—Continued.

	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	
Maine:														
Influenza.....	10	17	27	54	24	8	5	105	1,315	451	530	2,546	Maine:
Pneumonia (all forms).....	141	133	201	233	88	59	33	18	90	526	180	270	1,972	Influenza.
Combined.....	151	150	228	287	112	67	38	18	195	1,841	631	800	4,518	Pneumonia (all forms).
Maryland:														Combined.
Influenza.....	31	18	40	22	9	3	4	2	88	4,154	468	405	5,244	Maryland:
Pneumonia (lobar).....	412	436	407	316	174	83	66	38	122	3,535	358	364	6,311	Influenza.
Combined.....	443	454	447	338	183	86	70	40	210	7,689	826	769	11,555	Pneumonia (all forms).
Massachusetts:														Combined.
Influenza.....	437	475	490	585	242	113	109	56	2,293	8,274	1,022	1,804	Massachusetts:
Pneumonia (lobar).....	437	475	490	585	242	113	109	56	2,293	3,175	536	843	9,354	Influenza.
Combined.....	11,449	1,558	2,647	Pneumonia (lobar).
Michigan:														Combined.
Influenza.....	51	56	39	125	54	11	13	5	22	2,451	1,866	2,104	6,797	Michigan:
Minnesota:														Influenza.
Influenza.....	200	172	210	426	193	99	67	30	48	2,084	3,166	1,884	Minnesota:
Pneumonia (all forms).....	200	172	210	426	193	99	67	30	72	193	163	130	1,955	Influenza.
Combined.....	2,277	3,329	2,014	Pneumonia (all forms).
Nebraska:														Combined.
Influenza.....	132	147	165	188	108	57	27	27	4	279	266	465	Nebraska:
Pneumonia (all forms).....	132	147	165	188	108	57	27	27	39	1,336	931	1,012	4,169	Influenza.
Combined.....	1,615	1,197	1,477	Pneumonia (all forms).
New Jersey:														Combined.
Influenza.....	103	8,566	1,347	837	New Jersey:
Pneumonia (all forms).....	329	3,899	853	793	Influenza.
Combined.....	522	12,465	2,200	1,650	Pneumonia (all forms).
New York:														Combined.
Influenza.....	148	139	268	216	81	27	20	10	272	17,690	5,306	2,499	26,676	New York:
Pneumonia (all forms).....	2,326	2,129	3,308	2,844	1,416	713	601	487	913	13,556	4,105	2,652	35,050	Influenza.
Combined.....	2,474	2,268	3,576	3,060	1,497	740	621	497	1,185	31,246	9,411	5,151	61,726	Pneumonia (all forms).

North Dakota: Influenza. Pneumonia (all forms).	53	37	55	64	35	32	14	1	23	1	51	199	75	326
Combined.....	53	37	55	64	35	32	15	23	23	1	745	987	634	2,681
Ohio: Influenza. Pneumonia (all forms).	114 1,053	94 864	93 1,032	195 1,322	67 514	13 208	16 194	30 284	14 162	30 284	5,778 3,441	4,691 2,175	3,877 1,823	14,988 13,042
Combined.....	1,167	958	1,100	1,518	581	221	210	314	176	314	9,219	6,866	5,700	28,020
Oklahoma: Influenza. Pneumonia (all forms).	25 190	10 200	16 259	14 264	9 132	3 29	0 21	3 14	3 14	8 29	1,953 2,587	1,016 408	990 313	4,047 2,446
Combined.....	215	210	275	278	141	32	21	17	37	37	2,540	1,424	1,303	6,493
Oregon: Influenza. Pneumonia (all forms).	3 55	4 48	5 84	5 82	8 65	5 47	0 14	1 18	1 25	1 25	364 285	539 279	380 190	1,315 1,192
Combined.....	58	52	89	87	73	52	14	19	56	56	649	818	570	2,507
Pennsylvania: Influenza. Pneumonia (all forms).	182 2,434	186 2,096	195 2,470	364 3,170	147 1,331	35 637	20 598	14 404	14 588	538 846	28,505 8,433	13,967 3,334	6,778 2,303	50,951 28,056
Combined.....	2,616	2,282	2,665	3,534	1,478	672	618	418	1,404	1,404	36,938	17,301	9,081	79,007
Porto Rico: Influenza. Pneumonia (all forms).	8 187	7 152	3 171	2 131	2 141	2 79	15 211	10 202	10 202	1 100	67 147	1,841 661	3,516 822	5,474 3,004
Combined.....	195	159	174	133	143	81	226	212	212	101	214	2,502	4,338	8,478
Rhode Island: Influenza. Pneumonia (all forms).	8 120	13 97	16 142	24 162	1 71	38 28	28 28	20 20	140 113	140 113	1,618 600	243 101	243 147	2,306 1,639
Combined.....	128	110	158	186	72	38	28	20	253	253	2,218	344	390	3,945
South Carolina: Influenza. Pneumonia (all forms).	29 339	33 283	15 242	19 255	7 209	4 107	1 79	2 42	3 152	3 152	786 2,825	457 1,158	354 976	1,710 6,667
Combined.....	368	316	257	274	216	111	80	44	155	155	3,611	1,615	1,330	8,377

Influenza, pneumonia (all forms), and both diseases combined—Deaths registered, 1918—Continued.

	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	
South Dakota:														South Dakota:
Influenza.....	6	4	5	7	2	1	5	442	796	579	1,847	Influenza.
Pneumonia (all forms).....	35	40	49	55	36	26	9	8	22	77	101	86	544	Pneumonia (all forms).
Combined.....	41	44	54	62	38	27	9	8	27	519	897	665	2,391	Combined.
Texas:														Texas:
Influenza.....	195	192	154	106	24	27	14	4	21	4,690	3,477	2,950	11,854	Influenza.
Pneumonia (all forms).....	1,204	1,202	840	680	379	139	122	87	98	1,319	948	618	7,636	Pneumonia (all forms).
Combined.....	1,399	1,394	994	786	403	166	136	91	119	6,009	4,425	3,568	19,490	Combined.
Utah:														Utah:
Influenza.....	6	2	5	13	6	1	1	2	4	404	628	387	1,459	Influenza.
Pneumonia (all forms).....	80	53	48	86	69	30	12	13	19	184	128	74	796	Pneumonia (all forms).
Combined.....	86	55	53	99	75	31	13	15	23	588	756	461	2,255	Combined.
Vermont:														Vermont:
Influenza.....	9	9	15	15	7	3	2	2	99	1,224	158	185	1,728	Influenza.
Pneumonia (all forms).....	67	51	63	73	35	16	19	6	5	44	24	30	433	Pneumonia (all forms).
Combined.....	76	60	78	88	42	19	21	8	104	1,268	182	215	2,161	Combined.
Washington:														Washington:
Influenza.....	10	8	19	13	8	7	2	3	8	1,072	1,419	1,585	4,154	Influenza.
Pneumonia (all forms).....	126	120	172	205	113	90	54	44	78	317	152	157	1,628	Pneumonia (all forms).
Combined.....	136	128	191	218	121	97	56	47	86	1,389	1,571	1,742	5,782	Combined.
Wisconsin:														Wisconsin:
Influenza.....	24	26	26	48	17	13	8	1	55	2,091	820	1,210	4,339	Influenza.
Pneumonia (all forms).....	304	334	325	581	341	179	118	101	109	525	1,440	1,772	6,129	Pneumonia (all forms).
Combined.....	328	360	351	629	358	192	126	102	164	2,616	2,260	2,982	10,468	Combined.
Wyoming:														Wyoming:
Influenza.....	29	21	22	54	23	14	7	5	9	42	95	32	Influenza.
Pneumonia (all forms).....	161	269	205	819	Pneumonia (all forms).
Combined.....	29	21	22	54	23	14	7	5	9	203	364	237	Combined.

Influenza, pneumonia (all forms), and influenza and pneumonia combined—Deaths registered and indicated mortality rates, 1918.

State.	Esti- mated popula- tion July 1, 1918.	Influenza.		Pneumonia (all forms).		Combined.		Influenza.		Pneumonia (all forms).		Combined.	
		Total deaths regis- tered.	Deaths per 1,000 inhab- itants.	Total deaths regis- tered.	Deaths per 1,000 inhab- itants.	Total deaths regis- tered.	Deaths per 1,000 inhab- itants.	Total deaths regis- tered.	Deaths per 1,000 inhab- itants.	Total deaths regis- tered.	Deaths per 1,000 inhab- itants.	Total deaths regis- tered.	Deaths per 1,000 inhab- itants.
Alabama.....	2,335,270	5,446	2.3	5,689	2.4	11,135	4.6	2,001,466	2.8	2,873	1.4	17,014	4.9
Arizona.....	272,034	577	2.1	2,226	8.2	2,803	10.3	3,448,498	2.8	7,337	2.1	5,183	4.0
Arkansas.....	1,792,965	3,029	1.7	2,390	1.3	5,428	3.0	1,296,877	1.014	4,169	3.2	5,183	4.0
California.....	3,119,412	13,268	4.3	5,298	1.7	18,536	5.9	10,646,989	26,676	35,050	3.3	61,726	5.8
Connecticut.....	1,286,268	7,418	5.8	3,204	2.5	10,622	8.3	791,437	326	2,355	3.0	2,681	3.4
Delaware.....	216,941	426	2.0	1,443	6.7	1,869	8.6	5,273,814	14,988	13,042	2.5	28,030	5.3
District of Columbia.....	401,681	2,028	5.0	1,298	3.2	3,326	8.3	2,377,029	4,047	2,446	1.0	6,493	2.7
Florida.....	938,877	3,113	3.3	1,675	1.8	4,788	5.1	888,243	1,315	1,192	1.3	2,507	2.8
Hawaii.....	223,419	165	.7	492	2.2	657	2.9	Pennsylvania.....	50,951	28,056	3.2	79,007	9.0
Illinois.....	6,317,734	17,879	2.8	14,445	2.3	32,324	5.0	8,798,067	5,474	3,004	2.4	8,478	6.8
Indiana.....	2,834,167	6,219	2.2	5,609	2.0	11,828	4.1	1,247,677	2.8	1,639	2.6	3,945	6.2
Iowa.....	2,224,771	6,260	2.8	3,818	1.7	10,078	4.5	637,415	3.6	1,639	2.6	3,945	6.2
Kansas.....	1,874,165	2,639	1.4	6,052	3.2	8,691	4.6	1,660,334	1,710	6,667	4.0	8,377	5.0
Kentucky.....	2,498,547	9,181	3.8	5,302	2.2	14,483	6.0	735,534	1,847	544	.7	2,391	3.3
Louisiana.....	1,884,778	5,925	3.1	4,026	2.1	9,951	5.3	11,854	2.6	7,636	1.7	19,490	4.2
Maine.....	782,191	2,546	3.3	1,972	2.5	4,518	5.8	453,048	1,459	7,796	1.8	2,255	5.0
Maryland.....	1,384,539	5,244	3.8	6,311	4.6	11,555	8.3	366,192	1,728	433	1.2	2,161	5.9
Massachusetts.....	3,832,790	11,100	2.9	9,354	2.4	20,454	5.3	1,660,578	4,154	1,628	1.0	5,782	3.5
Michigan.....	3,133,678	6,797	2.2	1,955	.8	8,752	2.8	2,533,983	4,339	6,129	2.4	10,468	4.1
Minnesota.....	2,345,287	7,182	3.1	1,955	.8	9,137	4.0	190,380	1,169	819	4.3	988	5.2

† Includes lobar pneumonia only.

Cases of malaria reported, 1918.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	38	18	41	100	105	182	370	354	388	81	83	30	1,790	Alabama.
Arkansas.....	173	380	323	409	505	621	525	903	469	128	102	171	4,709	Arkansas.
California.....	20	11	23	26	53	76	144	92	121	83	8	4	661	California.
Colorado.....	1	1	2	Colorado.
Connecticut.....	1	3	4	Connecticut.
Florida.....	39	44	43	50	44	74	98	161	236	71	50	21	931	Florida.
Illinois.....	1	2	1	3	7	Illinois.
Kansas.....	1	2	4	4	3	4	9	28	Kansas.
Louisiana.....	19	30	108	152	339	348	269	328	382	105	41	16	2,125	Louisiana.
Maryland.....	3	2	2	0	7	29	59	52	35	8	6	10	213	Maryland.
Massachusetts.....	1	2	5	4	5	16	31	31	4	2	3	82	Massachusetts.
Minnesota.....	0	0	0	3	0	1	1	2	0	0	0	0	7	Minnesota.
Mississippi.....	3,652	4,639	6,094	8,707	11,477	14,103	16,214	15,712	12,172	5,996	4,295	2,742	106,783	Mississippi.
New Jersey.....	8	1	13	15	38	36	33	30	34	15	6	47	281	New Jersey.
Ohio.....	3	6	5	5	6	14	9	9	4	16	7	84	Ohio.
Pennsylvania.....	1	1	1	1	1	1	5	Pennsylvania.
Porto Rico.....	148	353	204	101	77	75	77	62	93	74	135	69	1,471	Porto Rico.
South Carolina.....	2	55	13	94	113	53	46	197	50	16	4	8	591	South Carolina.
Texas.....	19	23	34	53	68	52	183	48	31	9	562	Texas.
Virginia.....	193	232	270	323	367	577	590	701	415	360	184	99	4,321	Virginia.

Deaths registered as due to malaria, 1918.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	11	9	14	18	19	55	51	83	63	29	8	16	376	Alabama.
Arizona.....	24	20	27	15	24	44	52	53	45	45	19	36	404	Arizona.
Arkansas.....	3	1	3	2	6	3	8	3	8	12	3	2	54	Arkansas.
California.....				1		1			1				3	California.
Connecticut.....														Connecticut.
Florida.....	6	4	11	18	17	32	25	29	25	33	9	8	217	Florida.
Illinois.....	3	3	2	5	7	7	12	18	10	6	2	2	77	Illinois.
Indiana.....	1	1	1	1		4	7	5	3	2	2	4	31	Indiana.
Iowa.....	0	0	0	1	1	0	0	0	0	0	0	0	2	Iowa.
Kansas.....	1	0	0	3	5	1	3	2	4	6	2	1	28	Kansas.
Kentucky.....	4	7	5	9	9	11	11	15	15	10	8	5	109	Kentucky.
Louisiana.....	7	16	16	42	64	89	83	73	71	23	15	11	510	Louisiana.
Maine.....							1			1			2	Maine.
Maryland.....	0	0	0	0	0	3	1	0	0	1	0	1	6	Maryland.
Massachusetts.....	1		1	1		1							4	Massachusetts.
Minnesota.....	0	0	0	0	0	1	0	0	0	0	0	0	1	Minnesota.
Nebraska.....						1	1	1	1				1	Nebraska.
New Jersey.....			3	2		1	1		1		2	1	12	New Jersey.
New York.....	2	1	3	1	5	2	2	3	3	1			24	New York.
Ohio.....			3	2	1	4			2	2	2		20	Ohio.
Oklahoma.....	3	1	11	7	18	22	26	28	23	10	9	3	163	Oklahoma.
Pennsylvania.....		1	2	1	3		1		1	2	1		12	Pennsylvania.
Porto Rico.....	151	107	121	104	94	61	120	129	113	150	213	171	1,534	Porto Rico.
Rhode Island.....													1	Rhode Island.
South Carolina.....	5	4	8	16	14	38	29	45	50	53	13	14	289	South Carolina.
Texas.....	19	20	32	37	38	52	80	50	53	30	15	9	435	Texas.
Vermont.....					1		1						1	Vermont.

Malaria—Cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1918.

State.	Estimated population, July 1, 1918.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.	State.	Estimated population, July 1, 1918.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
Alabama.....	2,395,270	1,790	0.747	376	0.157	21.0	Massachusetts.....	3,832,790	82	0.021	4	0.001	4.9
Arizona.....	272,034			1	.001		Minnesota.....	2,345,287	7	.003	1		14.3
Arkansas.....	1,792,965	4,709	2.626	404	.225	8.6	Mississippi.....	2,001,466	105,783	52.853	791	.395	.7
California.....	3,119,412	661	.212	54	.017	8.2	Missouri.....	3,448,498			222	.064	
Colorado.....	1,014,581	2	.002				Nebraska.....	1,296,877			1	.001	
Connecticut.....	1,286,268	4	.003	3	.002	75.0	New Jersey.....	3,080,371	281	.091	12	.004	4.3
Florida.....	938,877	931	.992	217	.231	25.3	New York.....	10,646,989			24	.002	
Illinois.....	6,317,734	7		77	.012		Ohio.....	5,273,814	84	.016	20	.004	23.8
Indiana.....	2,854,167			31	.011		Oklahoma.....	2,377,629			163	.069	
Iowa.....	2,224,771			2	.001		Pennsylvania.....	8,798,067	5		12	.001	
Kansas.....	1,874,195	28	.015	28	.015		Porto Rico.....	1,247,677	1,471		1,534	1.229	
Kentucky.....	2,408,547			109	.045		Rhode Island.....	637,415			1	.002	
Louisiana.....	1,884,778	2,125	1.127	510	.271	24.0	South Carolina.....	1,660,934	591	.356	289	.174	48.9
Maine.....	782,191			2	.003		Texas.....	4,601,279	562	.122	435	.095	77.4
Maryland.....	1,384,539	213	.154	6	.004	2.8	Vermont.....	366,192			1	.003	
							Virginia.....	2,234,030	4,321	1.934			

Measles—Monthly averages of cases reported during the years for which data are available, 1913-1917.

State.	Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Aver- age per year.	State.
Alabama.....	1915-1917-3 years.....	265	1,318	2,042	1,542	787	229	85	62	27	58	143	357	6,915	Alabama.
Arkansas.....	1917-1 year.....	361	1,517	1,705	1,433	474	116	33	5	101	67	543	1,250	7,845	Arkansas.
California.....	1913-1917-5 years.....	894	1,282	1,662	1,734	1,586	914	338	227	252	333	437	365	9,997	California.
Colorado.....	1913-1917-5 years.....	631	692	876	633	1,170	494	46	40	45	41	297	430	6,319	Colorado.
Connecticut.....	1913-1917-5 years.....	214	429	616	443	345	363	193	31	37	113	85	13	3,010	Connecticut.
District of Columbia.....	1913-1917-5 years.....	75	64	66	75	53	345	118	31	11	13	81	53	643	District of Columbia.
Hawaii.....	1913-1917-5 years.....	3,564	4,574	6,405	4,43	5,533	2,898	858	193	13	208	32	688	32,109	Hawaii.
Illinois.....	1914-1917-4 years.....	1,481	2,268	3,432	4,073	3,235	2,690	417	85	137	108	423	683	15,111	Illinois.
Indiana.....	1913-1917-5 years.....	1,377	2,108	2,632	2,893	2,388	1,750	178	41	32	145	182	287	13,003	Indiana.
Iowa.....	1914-1917-4 years.....	1,044	1,501	2,292	1,79	1,139	78	48	43	32	145	383	518	7,082	Iowa.
Louisiana.....	1916-1917-2 years.....	60	165	194	153	118	199	184	43	43	58	370	663	5,082	Louisiana.
Maine.....	1915-1917-3 years.....	638	844	1,407	1,501	1,800	1,353	456	140	68	116	370	663	5,082	Maine.
Massachusetts.....	1913-1916-4 years.....	2,329	2,848	3,819	4,306	4,374	3,622	1,633	404	188	391	767	1,417	25,822	Massachusetts.
Michigan.....	1913-1917-5 years.....	686	924	1,389	1,504	1,801	1,175	199	50	26	276	344	517	9,076	Michigan.
Minnesota.....	1913-1917-5 years.....	323	662	1,150	1,215	1,176	672	199	50	26	60	152	179	5,884	Minnesota.
Mississippi.....	1914-1917-4 years.....	1,048	2,610	3,647	2,738	1,901	857	377	183	182	358	1,545	2,514	18,008	Mississippi.
Montana.....	1913-1914-2 years.....	1,443	2,391	3,620	538	208	208	58	24	17	53	49	121	3,025	Montana.
Nevada.....	1913-1917-5 years.....	80	205	333	133	75	34	23	2	2	4	29	20	949	Nevada.
New York.....	1913-1917-5 years.....	4,675	5,813	8,336	9,963	11,210	8,945	3,937	1,077	521	984	1,861	3,343	60,697	New York.
North Dakota.....	1917-1 year.....	131	167	251	191	224	83	27	2	22	11	8	18	1,155	North Dakota.
Ohio.....	1914-1917-4 years.....	2,352	3,688	5,545	6,284	5,105	2,927	1,045	227	138	294	693	1,081	29,379	Ohio.
Oklahoma.....	1913-1915-3 years.....	233	3,902	1,470	1,515	327	129	59	10	9	15	48	149	5,009	Oklahoma.
Oregon.....	1913-1917-5 years.....	309	441	327	289	289	179	61	34	23	41	74	168	2,288	Oregon.
Pennsylvania.....	1917-2 years.....	7,223	9,100	13,357	12,716	9,635	6,041	2,195	625	313	619	1,319	2,277	65,420	Pennsylvania.
Porto Rico.....	1917-1 year.....	112	181	337	804	1,005	1,009	464	345	540	861	1,705	638	7,001	Porto Rico.
Rhode Island.....	1914-1916-3 years.....	122	92	196	225	222	173	76	12	21	65	39	1	2,223	Rhode Island.
South Carolina.....	1913-1917-5 years.....	416	522	577	439	156	73	34	21	16	29	151	358	2,792	South Carolina.
South Dakota.....	1913-1914-2 years.....	192	170	174	289	273	94	23	10	3	15	46	38	1,327	South Dakota.
Texas.....	1917-1 year.....	574	1,715	1,114	1,001	654	244	62	22	0	55	84	909	4,746	Texas.
Utah.....	1913-1916-4 years.....	1,888	1,623	1,206	1,001	589	356	66	77	12	30	90	179	7,011	Utah.
Vermont.....	1914-1917-4 years.....	267	443	508	508	589	247	247	72	52	50	54	78	3,442	Vermont.
Virginia.....	1913-1917-5 years.....	1,668	2,311	3,197	3,390	1,668	1,486	484	175	131	256	548	986	17,749	Virginia.
Washington.....	1913-1917-5 years.....	1,080	1,297	1,250	1,445	1,341	1,486	315	88	54	256	454	684	9,036	Washington.
West Virginia.....	1917-1 year.....	1,197	881	453	634	1,359	160	29	29	8	17	54	21	3,922	West Virginia.
Wisconsin.....	1913-1917-5 years.....	1,822	907	1,278	1,080	1,150	914	369	81	48	211	314	515	7,689	Wisconsin.
Wyoming.....	1913-1917-5 years.....	41	71	101	61	1,105	33	16	4	5	5	20	77	7,539	Wyoming.

Cases of measles reported, 1918.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	2,337	1,451	1,194	417	149	81	41	66	229	93	51	111	6,220	Alabama.
Arizona.....	5	38	73	27	6	8	0	2	2	1	0	0	162	Arizona.
Arkansas.....	1,913	1,913	1,051	527	362	98	34	5	314	13	15	66	5,335	Arkansas.
California.....	2,568	5,392	5,288	3,641	2,999	1,916	715	219	8	494	61	29	23,194	California.
Colorado.....	705	491	482	289	181	99	16	5	3	3	3	7	2,080	Colorado.
Connecticut.....	705	601	773	851	932	550	304	110	86	204	89	245	5,450	Connecticut.
District of Columbia.....	570	1,084	2,088	2,023	865	214	79	22	16	12	12	10	7,001	District of Columbia.
Florida.....	368	599	297	172	151	76	62	111	69	33	64	185	2,187	Florida.
Illinois.....	1,580	939	1,237	1,278	1,501	641	273	121	56	141	67	171	7,575	Illinois.
Indiana.....	1,820	1,370	1,241	1,383	1,034	304	62	60	40	62	44	113	5,583	Indiana.
Iowa.....	449	248	250	118	63	30	15	5	6	2	4	8	1,198	Iowa.
Kansas.....	2,170	2,391	2,504	2,219	1,635	481	74	77	20	66	46	90	10,793	Kansas.
Louisiana.....	1,702	897	1,890	2,222	1,663	81	122	93	33	9	72	151	3,525	Louisiana.
Maine.....	1,797	217	208	65	75	74	146	25	13	52	41	4	1,647	Maine.
Maryland.....	983	1,240	2,631	3,943	3,316	1,287	156	183	95	91	163	174	14,060	Maryland.
Massachusetts.....	2,950	3,471	4,018	5,210	6,335	3,693	5,962	500	263	318	179	343	29,212	Massachusetts.
Michigan.....	875	558	1,018	1,263	1,047	455	282	127	69	243	106	63	5,906	Michigan.
Minnesota.....	458	549	515	415	582	707	358	59	18	19	21	26	3,727	Minnesota.
Mississippi.....	15,452	10,985	7,743	4,041	1,884	757	277	161	191	123	166	265	42,045	Mississippi.
Montana.....	134	190	195	218	287	156	36	14	24	17	2	15	1,288	Montana.
Nebraska.....	286	293	214	460	155	43	20	11	09	16	17	17	1,584	Nebraska.
New Jersey.....	2,457	3,925	5,432	6,505	5,080	2,796	1,121	279	103	84	27	48	28,437	New Jersey.
New York.....	7,749	8,470	13,446	14,342	14,310	7,629	4,804	1,352	446	588	414	345	74,395	New York.
North Carolina.....	1,449	1,700	1,837	1,269	945	364	111	77	100	127	34	56	8,069	North Carolina.
North Dakota.....	30	58	287	69	94	35	27	4	100	8	1	2	615	North Dakota.
Ohio.....	1,172	1,754	2,298	2,495	2,750	1,455	728	237	234	322	168	452	14,065	Ohio.
Oregon.....	3,050	4,411	1,577	1,322	1,139	6,611	75	18	616	1,021	16	34	4,742	Oregon.
Pennsylvania.....	3,311	656	534	95	70	62	3,440	1,094	10	1	2	5	51,836	Pennsylvania.
Porto Rico.....	55	88	271	1,224	1,009	652	301	24	10	1	4	4	1,746	Porto Rico.
Rhode Island.....	449	754	257	434	281	20	26	8	11	50	24	38	3,647	Rhode Island.
South Carolina.....	108	170	140	289	283	164	79	30	13	12	10	22	1,320	South Carolina.
South Dakota.....	1,509	722	1,110	500	265	136	9	8	30	10	8	49	4,356	South Dakota.
Texas.....	536	630	759	1,079	1,171	601	184	100	92	78	27	17	5,274	Texas.
Utah.....	42	33	37	112	230	208	114	34	68	57	68	83	1,086	Utah.
Vermont.....	2,565	3,808	4,685	4,750	2,801	807	391	293	85	96	46	219	20,546	Vermont.
Washington.....	545	766	1,038	991	668	535	276	153	102	36	12	24	5,166	Washington.
West Virginia.....	116	276	334	343	155	87	51	20	6	16	4	10	1,438	West Virginia.
Wisconsin.....	1,112	2,266	4,084	4,066	4,637	1,618	760	181	137	443	63	59	19,376	Wisconsin.
Wyoming.....	68	124	326	139	218	117	11	1	1	3	1	4	1,083	Wyoming.

Deaths registered as due to measles, 1918.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	80	119	113	76	40	9	8	4	8	6	4	3	470	Alabama.
Arizona.....	1	6	8	4	4	5	5	5	4	7	2	14	37	Arizona.
Arkansas.....	124	65	46	27	25	13	6	6	4	7	2	1	336	Arkansas.
California.....	17	24	26	29	22	23	4	4	4	6	2	5	154	California.
Connecticut.....	13	7	12	9	9	6	2	3	2	6	7	0	85	Connecticut.
Delaware.....	2	1	2	0	2	2	1	1	2	1	0	0	14	Delaware.
District of Columbia.....	5	11	7	13	10	2	1	1	2	1	0	0	48	District of Columbia.
Florida.....	10	26	35	30	17	7	7	2	5	1	1	3	137	Florida.
Hawaii.....	37	28	43	61	76	1	1	7	1	1	1	1	11	Hawaii.
Illinois.....	10	12	20	23	26	90	12	7	5	15	12	15	341	Illinois.
Indiana.....	7	13	20	23	26	13	5	1	1	1	3	2	120	Indiana.
Iowa.....	20	44	39	58	50	20	2	5	0	4	6	6	214	Iowa.
Kansas.....	26	45	64	67	38	11	1	2	2	4	6	5	313	Kansas.
Kentucky.....	47	46	66	68	37	17	7	8	3	42	23	5	341	Kentucky.
Louisiana.....	20	17	35	38	37	28	13	4	4	35	0	1	254	Louisiana.
Maine.....	20	17	19	10	11	12	7	4	2	1	0	0	103	Maine.
Maryland.....	10	11	34	29	41	11	7	3	1	2	4	1	155	Maryland.
Massachusetts.....	39	48	59	79	100	80	53	21	15	21	4	4	519	Massachusetts.
Michigan.....	17	33	31	38	62	30	19	6	2	7	10	4	259	Michigan.
Minnesota.....	2	3	13	18	18	14	11	1	2	5	0	2	89	Minnesota.
Nebraska.....	1	1	1	2	6	6	1	0	0	0	0	0	13	Nebraska.
New Jersey.....	69	50	97	112	84	61	31	0	5	0	0	2	523	New Jersey.
New York.....	123	150	231	262	191	129	73	37	21	29	14	13	1,293	New York.
North Dakota.....	1	1	3	68	3	37	15	10	3	2	7	8	270	North Dakota.
Ohio.....	11	23	35	59	44	37	15	10	3	2	0	0	254	Ohio.
Oklahoma.....	16	53	64	59	39	11	6	4	1	2	0	0	57	Oklahoma.
Oregon.....	3	1	10	17	10	9	4	4	2	0	1	0	57	Oregon.
Pennsylvania.....	48	56	101	142	160	65	59	53	21	37	43	17	802	Pennsylvania.
Porto Rico.....	63	64	70	45	65	32	41	18	14	10	3	1	425	Porto Rico.
Rhode Island.....	2	13	14	20	24	20	13	9	5	2	5	3	128	Rhode Island.
South Carolina.....	14	16	15	2	8	9	4	2	1	3	2	3	81	South Carolina.
South Dakota.....	2	2	5	2	9	4	2	4	4	3	2	2	33	South Dakota.
Texas.....	208	297	297	176	55	47	19	6	1	13	2	2	1,009	Texas.
Utah.....	2	4	7	10	6	1	1	2	1	1	2	2	34	Utah.
Vermont.....	2	2	2	2	1	1	1	3	2	3	2	0	15	Vermont.
Washington.....	6	15	25	18	15	12	7	1	3	3	0	3	102	Washington.
Wisconsin.....	1	1	18	13	29	16	2	2	3	1	2	3	100	Wisconsin.
Wyoming.....		1	1			2	2						6	Wyoming.

Measles—Average number of cases reported per annum and average indicated morbidity rates, 1913-1917; cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1918.

State.	Estimated population July 1, 1918.	Average.				1918				State.
		Years.	Cases reported per annum.	Cases per 1,000 inhabitants.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.	
Alabama.....	2,385,270	1915-1917—3 years.....	6,915	3.0	6,220	2.6	470	0.196	7.6	Alabama.
Arizona.....	272,034	1917—1 year.....	7,845	4.4	162	6	37	.136	22.8	Arizona.
Arkansas.....	1,792,965	1913-1917—5 years.....	9,997	3.5	23,194	3.0	336	.187	6.3	Arkansas.
California.....	3,119,412	1914, 1916, 1917—3 years.....	6,319	6.6	2,960	7.4	154	.049	.7	California.
Colorado.....	1,014,581	1913-1917—5 years.....	6,518	5.3	5,450	2.1	85	.066	1.6	Colorado.
Connecticut.....	1,236,268	1913-1917—5 years.....	3,010	8.4	7,001	17.4	14	.065	Connecticut.
Delaware.....	216,941	1913-1917—5 years.....	643	3.0	2,157	2.3	14	.119	7	Delaware.
District of Columbia.....	401,681	1913-1917—5 years.....	32,199	3.3	7,575	1.2	48	.146	6.3	District of Columbia.
Florida.....	938,877	1913-1917—5 years.....	18,211	6.5	1,198	2.9	11	.049	Florida.
Hawaii.....	223,419	1914-1917—4 years.....	11,002	6.1	10,783	5.8	341	.142	Hawaii.
Illinois.....	6,317,734	1913-1917—5 years.....	3,866	2.7	3,525	1.9	284	.135	7.2	Illinois.
Indiana.....	2,854,167	1914-1917—4 years.....	2,082	2.7	1,947	2.1	155	.132	6.3	Indiana.
Iowa.....	2,224,771	1913-1917—5 years.....	9,383	7.0	54,060	17.6	132	.132	1.8	Iowa.
Kansas.....	1,874,165	1913-1917—5 years.....	23,822	3.0	23,412	1.9	558	.132	1.8	Kansas.
Kentucky.....	2,408,547	1914-1917—4 years.....	3,864	3.6	3,727	1.6	280	.088	2.4	Kentucky.
Louisiana.....	1,864,778	1913-1917—5 years.....	18,008	9.3	42,045	21.0	732	.366	1.7	Louisiana.
Maine.....	1,382,561	1913-1917—5 years.....	3,025	6.8	1,288	2.6	60	.017	Maine.
Maryland.....	2,821,509	1913-1917—5 years.....	949	9.2	1,584	1.2	13	.010	.8	Maryland.
Massachusetts.....	3,837,590	1913-1917—5 years.....	60,867	6.0	28,437	9.2	532	.170	1.8	Massachusetts.
Michigan.....	3,832,592	1913-1917—5 years.....	60,867	6.0	28,437	9.2	1,263	.121	1.7	Michigan.
Minnesota.....	2,345,287	1913-1917—5 years.....	1,135	1.5	1,065	3.3	Minnesota.
Mississippi.....	2,045,287	1914-1917—4 years.....	1,135	1.5	1,065	2.7	7	.009	1.9	Mississippi.
Missouri.....	2,448,468	1913-1914, 1916, 1917—4 years.....	20,379	2.4	14,063	5.7	270	.107	1.9	Missouri.
Montana.....	3,436,376	1913-1917—5 years.....	2,988	2.8	4,742	5.3	254	.107	1.2	Montana.
Nebraska.....	1,298,877	1913-1917—5 years.....	65,420	7.6	51,826	5.9	802	.091	1.5	Nebraska.
Nevada.....	1,114,719	1917—1 year.....	7,001	5.7	1,746	1.4	425	.341	24.3	Nevada.
New Jersey.....	3,030,371	1913, 1917—2 years.....	949	9.2	1,584	1.2	13	.010	.8	New Jersey.
New York.....	10,446,989	1913-1917—5 years.....	60,867	6.0	28,437	9.2	532	.170	1.8	New York.
North Carolina.....	2,468,025	1913-1917—5 years.....	60,867	6.0	28,437	9.2	1,263	.121	1.7	North Carolina.
North Dakota.....	2,791,437	1917—1 year.....	1,135	1.5	1,065	2.7	7	.009	1.9	North Dakota.
Ohio.....	5,273,814	1914-1917—4 years.....	20,379	2.4	14,063	5.7	270	.107	1.2	Ohio.
Oklahoma.....	2,377,699	1913-1915, 1917—3 years.....	2,988	2.8	4,742	5.3	254	.107	1.2	Oklahoma.
Oregon.....	2,888,243	1913-1917—5 years.....	2,988	2.8	4,742	5.3	254	.107	1.2	Oregon.
Pennsylvania.....	8,798,067	1916, 1917—2 years.....	65,420	7.6	51,826	5.9	802	.091	1.5	Pennsylvania.
Porto Rico.....	1,247,677	1917—1 year.....	7,001	5.7	1,746	1.4	425	.341	24.3	Porto Rico.

Rhode Island.....	637, 415	1914, 1916, 1917-3 years.....	1, 223	2.0	3, 547	5.7	128	.201	3.5	Rhode Island.
South Carolina.....	1, 660, 934	1913-1917-5 years.....	2, 792	1.7	2, 245	1.4	81	.049	3.6	South Carolina.
South Dakota.....	735, 434	1913, 1914, 1917-3 years.....	1, 327	2.0	1, 320	1.8	33	.045	2.5	South Dakota.
Texas.....	4, 701, 279	1917-1 year.....	4, 746	1.1	4, 350	.9	1, 009	.219	23.2	Texas.
Utah.....	453, 048	1913-1915, 1917-4 years.....	7, 011	16.6	5, 274	11.6	34	.075	.6	Utah.
Vermont.....	366, 192	1914-1917-4 years.....	3, 442	9.5	1, 086	3.0	15	.041	1.4	Vermont.
Virginia.....	2, 234, 030	1915-1917-3 years.....	17, 749	8.1	20, 546	9.2	102	.061	2.0	Virginia.
Washington.....	1, 660, 578	1913-1917-5 years.....	9, 036	6.1	5, 166	3.1	103	.039	.5	Washington.
West Virginia.....	1, 439, 165	1917-1 year.....	3, 922	2.8	1, 438	1.0	103	.039	.5	West Virginia.
Wisconsin.....	2, 553, 983	1913-1917-5 years.....	7, 539	3.1	19, 376	7.4	6	.032	.6	Wisconsin.
Wyoming.....	190, 380do.....	3.1	1, 023	5.4	6	Wyoming.

Poliomyelitis (infantile paralysis)—Monthly averages of cases reported during the years for which data are available, 1913-1917.

State.	Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Average per year.	State.
Alabama.....	1913, 1915-1917-4 years.....	1	1	1	2	2	4	23	18	5	3	2	2	64	Alabama.
Arizona.....	1914, 1916-2 years.....	(1)	0	0	0	0	0	1	(1)	1	1	0	0	3	Arizona.
Arkansas.....	1917-1 year.....	2	0	0	0	0	1	1	2	2	0	0	0	8	Arkansas.
California.....	1913-1917-5 years.....	5	3	2	3	2	2	1	10	8	12	12	10	81	California.
Colorado.....	1916, 1917-2 years.....	0	0	(1)	0	0	(1)	1	3	3	4	2	0	12	Colorado.
Connecticut.....	1913-1917-5 years.....	1	1	1	2	2	2	34	76	58	24	8	3	211	Connecticut.
District of Columbia.....do.....	(1)	(1)	(1)	(1)	(1)	0	1	(1)	2	2	1	(1)	3	District of Columbia.
Hawaii.....	1913-1915, 1917-4 years.....	0	0	0	0	0	0	0	3	0	1	0	1	10	Hawaii.
Idaho.....	1913-1 year.....	0	0	1	0	0	3	0	3	1	1	0	1	374	Idaho.
Illinois.....	1913, 1914, 1917-3 years.....	10	12	11	13	8	9	11	37	121	101	31	10	93	Illinois.
Indiana.....	1913-1917-5 years.....	3	3	3	2	2	2	12	12	19	20	7	2	121	Indiana.
Iowa.....	1913, 1914, 1916, 1917-4 years.....	2	2	1	1	1	1	2	31	44	15	8	2	68	Iowa.
Kansas.....	1913-1917-5 years.....	2	2	(1)	(1)	1	5	11	11	12	13	7	4	26	Kansas.
Louisiana.....	1914-1917-4 years.....	1	1	1	3	1	2	7	3	2	2	2	2	80	Louisiana.
Maine.....	1916-17-2 years.....	(1)	0	0	1	(1)	0	0	8	28	22	16	3	169	Maine.
Maryland.....	1913-1917-3 years.....	4	4	1	2	2	2	16	38	43	44	14	2	821	Maryland.
Massachusetts.....	1913, 1916, 1917-3 years.....	8	3	6	4	6	9	51	117	254	267	78	20	173	Massachusetts.
Michigan.....	1913-1917-5 years.....	4	3	3	2	2	4	14	44	50	33	9	5	251	Michigan.
Minnesota.....	1913-1917-5 years.....	3	2	2	2	7	7	52	77	55	26	9	3	131	Minnesota.
Mississippi.....do.....	6	9	12	7	13	19	19	14	9	7	7	9	35	Mississippi.
Montana.....	1914-1917-4 years.....	0	0	0	(1)	(1)	2	4	9	9	0	(1)	(1)	8	Montana.
Nevada.....	1917-1 year.....	(1)	(1)	0	0	0	(1)	0	(1)	0	0	0	0	3	Nevada.
New Jersey.....	1917-1 year.....	4	2	5	3	4	5	133	430	199	58	11	3	857	New Jersey.
New York.....	1912, 1913-2 years.....	14	9	9	12	12	85	835	1,198	491	171	44	16	2,896	New York.
North Dakota.....	1913-1917-5 years.....	0	0	0	0	0	1	0	7	5	10	2	2	36	North Dakota.
Ohio.....	1917-1 year.....	8	8	2	7	7	11	47	94	95	48	18	8	357	Ohio.
Oklahoma.....	1917-1 year.....	1	0	1	0	0	1	1	1	2	2	0	0	20	Oklahoma.
Oregon.....	1917-1 year.....	7	7	(1)	8	0	(1)	88	443	462	226	69	26	15	Oregon.
Pennsylvania.....	1913, 1915-1917-4 years.....	9	0	0	0	0	11	1	1	3	2	8	2	9	Pennsylvania.
Rhode Island.....	1917-1 year.....	0	0	0	0	0	1	1	1	3	2	1	0	40	Rhode Island.
South Carolina.....	1914-1917-4 years.....	(1)	0	2	(1)	0	1	1	15	7	7	2	2	21	South Carolina.
South Dakota.....	1913-1917-5 years.....	0	0	(1)	0	0	1	1	4	6	4	0	(1)	29	South Dakota.
Texas.....	1914-1917-4 years.....	1	0	(1)	(1)	0	1	(1)	(1)	3	4	0	0	145	Texas.
Vermont.....	1917-1 year.....	2	1	1	0	0	11	0	35	50	36	5	3	271	Vermont.
Virginia.....	1913, 1915-1917-4 years.....	15	15	12	17	17	13	24	35	50	30	21	6	352	Virginia.
West Virginia.....	1917-1 year.....	89	13	1	3	0	54	72	53	50	19	10	2	20	West Virginia.
Washington.....	1913-1917-5 years.....	(1)	1	1	1	0	2	6	39	5	7	7	4	130	Washington.
Wisconsin.....	1913-1917-5 years.....	3	(1)	(1)	0	1	(1)	2	6	41	20	(1)	(1)	4	Wisconsin.
Wyoming.....	1916, 1917-2 years.....	0	0	0	0	0	0	0	1	1	0	0	0	4	Wyoming.

1 Less than one

Cases of poliomyelitis (infantile paralysis) reported, 1918.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	2	0	1	3	2	0	0	1	2	0	2	2	15	Alabama.
Arkansas.....	0	0	1	0	0	1	3	0	0	0	0	0	6	Arkansas.
California.....	10	1	4	7	7	6	5	10	5	9	8	2	75	California.
Colorado.....	1	1	1	6	Colorado.
Connecticut.....	1	0	1	2	2	0	1	14	21	7	2	0	53	Connecticut.
District of Columbia.....	1	0	0	0	0	0	0	0	0	0	0	0	2	District of Columbia.
Florida.....	10	4	17	3	1	1	43	73	79	18	2	2	303	Florida.
Illinois.....	21	18	16	11	16	17	1	1	1	68	Illinois.
Iowa.....	2	2	4	1	3	5	7	36	18	29	1	1	176	Iowa.
Kansas.....	1	2	4	1	1	1	7	4	19	3	1	2	30	Kansas.
Louisiana.....	1	2	4	1	2	1	3	4	19	3	2	2	39	Louisiana.
Maine.....	0	0	0	1	0	2	5	1	1	0	0	0	5	Maine.
Maryland.....	0	0	0	1	0	0	1	2	1	0	0	0	90	Maryland.
Massachusetts.....	5	3	6	3	4	12	15	16	23	12	3	1	99	Massachusetts.
Michigan.....	2	1	4	3	6	6	10	20	26	7	7	3	103	Michigan.
Minnesota.....	1	2	0	3	3	12	12	30	26	9	1	82	Minnesota.
Mississippi.....	3	1	2	2	2	8	11	38	13	6	11	0	57	Mississippi.
Montana.....	3	2	2	3	3	12	2	5	6	3	8	Montana.
Nebraska.....	2	1	1	3	1	10	Nebraska.
New Jersey.....	1	4	5	3	2	2	4	9	10	2	2	43	New Jersey.
New York.....	4	5	10	13	4	19	38	46	70	16	4	4	233	New York.
North Carolina.....	1	1	1	3	2	2	3	3	1	3	2	22	North Carolina.
North Dakota.....	1	1	3	3	7	9	3	1	26	North Dakota.
Ohio.....	7	6	8	11	6	16	31	51	6	6	3	1	152	Ohio.
Oregon.....	0	0	0	0	1	0	0	0	0	0	4	Oregon.
Pennsylvania.....	0	0	2	2	0	1	83	100	25	5	3	302	Pennsylvania.
Rhode Island.....	3	7	11	7	5	13	40	0	7	0	0	0	12	Rhode Island.
South Carolina.....	0	1	0	0	0	0	0	0	0	0	0	0	4	South Carolina.
South Dakota.....	1	1	3	1	2	1	1	1	15	24	South Dakota.
Texas.....	0	2	1	2	4	9	12	6	3	1	5	1	46	Texas.
Utah.....	1	Utah.
Vermont.....	6	Vermont.
Virginia.....	1	4	20	4	1	2	12	2	12	4	5	5	82	Virginia.
Washington.....	3	24	Washington.
West Virginia.....	2	1	0	0	3	1	6	3	2	1	1	2	30	West Virginia.
Wisconsin.....	4	14	50	28	11	8	41	47	51	8	2	4	268	Wisconsin.
Wyoming.....	1	1	2	Wyoming.

Polio myelitis (infantile paralysis)—Average number of cases reported per annum and average indicated morbidity rates, 1913-1917; cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1918.

State.	Average.			1918					
	Years.	Cases reported per annum.	Cases per 1,000 inhabitants.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.	State.
Alabama.....	1913, 1915-1917—4 years.....	64	0.028	15	0.006	12	0.005	80.0	Alabama.
Arizona.....	1914, 1916—2 years.....	3	.012			0			Arizona.
Arkansas.....	1917—1 year.....	8	.005	6		14	.008		Arkansas.
California.....	1913-1917—5 years.....	81	.028	75	.024	18	.006	24.0	California.
Colorado.....	1916, 1917—2 years.....	12		6	.006				Colorado.
Connecticut.....	1913-1917—5 years.....	211	.172	53	.041	8	.006	15.1	Connecticut.
District of Columbia.....	do.....	13	.036	2					District of Columbia.
Florida.....	1913-1915, 1917—4 years.....	3	.014	6	.005	7	.007		Florida.
Hawaii.....	1913—1 year.....	10	.026			0			Hawaii.
Idaho.....	1913, 1914, 1917—3 years.....	374	.062	303	.048	144	.022	47.5	Idaho.
Illinois.....	1913-1917—5 years.....	93	.033	88	.024	34	.012	50.0	Illinois.
Indiana.....	1913, 1914, 1916, 1917—4 years.....	121	.054	176	.079	42	.019	23.9	Indiana.
Iowa.....	1913-1917—5 years.....	68	.038	30	.016	11	.006	36.7	Iowa.
Kansas.....	1914, 1917—2 years.....	20	.014	39	.021	12	.006	30.8	Kansas.
Kentucky.....	1916, 1917—3 years.....	169	.124	5		17	.009		Kentucky.
Louisiana.....	1915-1917—3 years.....	821	.223	99	.065	28	.012	17.8	Louisiana.
Maine.....	1913, 1916, 1917—3 years.....	173	.057	163	.033	55	.010	38.4	Maine.
Maryland.....	1912-1917—5 years.....	241	.107	82	.030	26	.011	31.7	Maryland.
Massachusetts.....	1914-1917—4 years.....	131	.068	57	.023	9	.004	13.8	Massachusetts.
Michigan.....	1913, 1914, 1916, 1917—4 years.....	35	.078	8	.016	29	.008		Michigan.
Minnesota.....	1913, 1915, 1917—4 years.....	3		10	.008	8			Minnesota.
Mississippi.....	1913, 1917—5 years.....	2,896	.287	43	.014	12	.004	80.0	Mississippi.
Missouri.....	do.....	36	.047	22	.009	58	.005		Missouri.
Montana.....	1917-1 year.....	36	.047	26	.033	8			Montana.
Nebraska.....	1914-1917—4 years.....	337	.070	132	.029	55	.010	30.8	Nebraska.
Nevada.....	1913, 1915, 1917—4 years.....	15	.018	4	.005	10	.001	25.0	Nevada.
New Jersey.....	1913-1917—5 years.....	1,368	.139	302	.034	90	.010	29.8	New Jersey.
New York.....	1913-1917—5 years.....	3	.039						New York.
North Carolina.....	1913-1917—5 years.....	2,896	.287	43	.014	12	.004	27.9	North Carolina.
Ohio.....	do.....	36	.047	22	.009	58	.005	24.9	Ohio.
Oklahoma.....	1917-1 year.....	36	.047	26	.033	8			Oklahoma.
Oregon.....	1914-1917—4 years.....	337	.070	132	.029	55	.010	30.8	Oregon.
Pennsylvania.....	1917-1 year.....	15	.018	4	.005	10	.001	25.0	Pennsylvania.
	1913, 1915-1917—4 years.....	3	.012						
	1914, 1916—2 years.....	8	.005	6					
	1917—1 year.....	3	.012						
	1913-1917—5 years.....	12	.028	75	.024	18	.006	24.0	
	1916, 1917—2 years.....	211	.172	53	.041	8	.006	15.1	
	do.....	13	.036	2					
	1913-1915, 1917—4 years.....	3	.014	6	.005	7	.007		
	1913—1 year.....	10	.026			0			
	1913, 1914, 1917—3 years.....	374	.062	303	.048	144	.022	47.5	
	1913-1917—5 years.....	93	.033	88	.024	34	.012	50.0	
	1913, 1914, 1916, 1917—4 years.....	121	.054	176	.079	42	.019	23.9	
	1913-1917—5 years.....	68	.038	30	.016	11	.006	36.7	
	1914, 1917—2 years.....	20	.014	39	.021	12	.006	30.8	</

Cases of Rocky Mountain spotted fever reported, 1918.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
California.....					3								3	California.
Montana.....				1	4								5	Montana.
Oregon.....									1				3	Oregon.
Utah.....			1	1	2		2						5	Utah.
Wyoming.....					3	1							4	Wyoming.

Deaths registered as due to Rocky Mountain spotted fever, 1918.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Oregon.....					1				1				2	Oregon.
Utah.....				1	2		2						5	Utah.
Wyoming.....					1	2							3	Wyoming.

Rocky Mountain spotted fever—Cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1918.

State.	Estimated population July 1, 1918.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.	State.	Estimated population July 1, 1918.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
California.....	3,119,412	3	0.001				Utah.....	453,648	5	0.011	5	0.011
Montana.....	486,376	3	.010				Wyoming.....	190,385	4	.021	3	.015	75.0
Oregon.....	888,243	3	.003	2	0.002	66.7							

Scarlet fever—Monthly averages of cases reported during the years for which data are available, 1913-1917.

State.	Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Average per year.	State.
Alabama	1913, 1915, 1917—4 years.	48	37	57	34	31	24	28	51	89	118	99	65	681	Alabama.
Arizona	1914, 1916—2 years.	8	12	30	7	5	2	6	28	11	27	1	7	46	Arizona.
Arkansas	1913, 1917—5 years.	27	12	31	2	8	5	136	121	158	323	353	359	254	Arkansas.
California	1913, 1915, 1917—3 years.	354	332	328	237	264	162	38	26	28	69	84	123	3,147	California.
Colorado	1914, 1916, 1917—3 years.	132	135	98	101	86	58	36	44	61	106	148	157	959	Colorado.
Connecticut	1913, 1917—5 years.	234	199	237	222	222	132	63	44	24	42	45	66	1,770	Connecticut.
District of Columbia	do.	69	67	72	62	46	34	17	11	4	3	4	0	555	District of Columbia.
Hawaii	1913—1 year.	3	2	1	3	7	5	8	7	1	3	4	0	46	Hawaii.
Idaho	1913, 1917—3 years.	31	33	8	18	5	21	8	1	4	3	27	55	207	Idaho.
Illinois	1913, 1914, 1917—3 years.	1,960	1,884	2,329	2,451	1,524	924	488	290	388	527	642	745	14,161	Illinois.
Indiana	1913, 1917—5 years.	562	554	518	442	312	195	110	90	194	397	512	532	4,427	Indiana.
Iowa	1913, 1914, 1916, 1917—4 years.	129	166	214	169	144	52	35	22	59	82	107	141	1,298	Iowa.
Kansas	1913, 1917—5 years.	189	217	262	209	198	71	49	48	59	169	222	224	1,917	Kansas.
Kentucky	1914, 1917—4 years.	16	13	13	15	13	9	9	4	9	26	35	25	194	Kentucky.
Louisiana	1916, 1917—2 years.	10	13	9	14	9	5	16	20	27	14	12	31	180	Louisiana.
Maine	1913, 1917—3 years.	201	231	204	204	164	112	74	43	81	136	185	176	1,908	Maine.
Maryland	1913, 1916, 1917—3 years.	860	771	872	720	664	455	237	165	239	416	570	792	6,781	Maryland.
Massachusetts	1913, 1917—5 years.	693	705	695	778	553	338	178	142	207	330	448	571	5,638	Massachusetts.
Michigan	do.	480	528	666	617	423	281	141	124	130	219	286	377	4,272	Michigan.
Minnesota	1914, 1917—4 years.	38	47	17	30	28	28	34	35	56	80	61	57	488	Minnesota.
Mississippi	1913, 1917—5 years.	76	59	85	97	86	56	38	34	39	81	112	108	867	Mississippi.
Montana	1914, 1917—4 years.	38	47	17	30	28	28	34	35	56	80	61	57	488	Montana.
Nevada	1913, 1914, 1916, 1917—4 years.	615	580	738	648	553	437	199	114	135	244	337	379	1,700	Nevada.
New Jersey	1913, 1915, 1917—3 years.	1,746	1,853	2,290	2,214	1,942	1,249	649	352	422	691	984	1,071	15,600	New Jersey.
New York	1913, 1917—5 years.	37	62	88	87	88	43	15	15	42	35	20	71	1,529	New York.
North Dakota	1917—1 year.	1,130	976	1,020	924	731	543	257	235	421	799	1,008	984	8,928	North Dakota.
Ohio	1914, 1917—4 years.	1,165	1,039	1,239	74	44	30	35	73	126	161	257	206	1,516	Ohio.
Oklahoma	1913, 1917—5 years.	62	54	69	67	69	42	37	19	23	41	69	59	611	Oklahoma.
Oregon	1916, 1917—2 years.	1,008	887	980	888	784	525	306	269	353	649	806	825	8,260	Oregon.
Pennsylvania	1914, 1917—4 years.	1	0	0	0	0	(1)	(1)	0	0	0	0	0	2	Pennsylvania.
Porto Rico	1913, 1917—5 years.	98	81	116	93	100	55	38	23	34	77	85	67	867	Porto Rico.
Rhode Island	1913, 1917—3 years.	19	10	10	12	6	11	16	12	15	51	43	21	286	Rhode Island.
South Carolina	1913, 1914, 1917—3 years.	66	80	91	60	62	32	23	14	16	43	40	39	563	South Carolina.
South Dakota	1915, 1917—2 years.	122	126	77	61	37	65	51	28	41	200	291	337	1,464	South Dakota.
Texas	1913, 1915, 1917—4 years.	165	176	137	113	106	63	41	23	40	90	147	138	1,242	Texas.
Utah	1914, 1917—4 years.	58	83	66	56	57	37	36	24	18	36	49	59	579	Utah.
Vermont	do.	237	177	114	84	97	52	32	33	120	212	267	184	1,600	Vermont.
Virginia	1913, 1917—5 years.	93	70	88	70	55	47	32	30	39	69	93	88	788	Virginia.
Washington	1917—1 year.	70	47	82	38	30	14	19	27	61	203	297	347	588	Washington.
West Virginia	1913, 1917—5 years.	494	416	607	496	394	232	150	98	112	203	297	347	3,788	West Virginia.
Wisconsin	do.	14	21	20	20	26	7	8	8	9	16	12	22	183	Wisconsin.
Wyoming	do.	14	21	20	20	26	7	8	8	9	16	12	22	183	Wyoming.

1 Less than 1.

Deaths registered as due to scarlet fever, 1918.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	2	1	0	0	1	0	1	2	2	0	3	0	12	Alabama.
Arizona.....	1	2	1	0	2	2	3	1	0	1	1	0	2	Arizona.
Arkansas.....	5	8	6	11	4	3	3	0	0	3	2	5	17	Arkansas.
California.....	1	3	4	11	4	4	4	2	4	3	2	2	35	California.
Connecticut.....	0	0	1	0	0	0	0	1	1	0	0	0	3	Connecticut.
Delaware.....	3	3	5	3	1	1	1	1	1	1	1	1	16	Delaware.
District of Columbia.....	32	19	21	22	9	5	6	4	4	10	12	7	154	District of Columbia.
Florida.....	25	17	18	18	10	7	2	3	3	3	6	5	117	Florida.
Illinois.....	8	16	23	20	18	6	2	2	1	8	7	11	123	Illinois.
Iowa.....	11	11	14	15	4	5	2	0	2	4	2	2	72	Iowa.
Kansas.....	5	2	2	6	5	2	0	3	6	3	7	2	43	Kansas.
Kentucky.....	2	0	0	0	0	0	1	0	0	0	0	0	3	Kentucky.
Louisiana.....	2	3	1	1	5	1	1	0	0	4	4	1	13	Louisiana.
Maine.....	2	1	5	2	5	2	1	0	0	4	0	1	23	Maine.
Maryland.....	14	9	10	9	4	6	3	3	4	4	4	1	76	Maryland.
Massachusetts.....	24	27	14	31	25	10	6	3	3	7	8	5	168	Massachusetts.
Michigan.....	13	17	25	29	33	7	10	3	2	2	5	11	137	Michigan.
Minnesota.....	2	6	8	10	8	0	4	2	2	0	0	0	40	Minnesota.
Nebraska.....	5	6	37	10	4	5	5	5	2	3	3	1	57	Nebraska.
New Jersey.....	50	34	37	39	35	26	16	1	7	20	11	13	300	New Jersey.
New York.....	13	13	23	19	20	7	8	4	1	23	10	17	19	New York.
North Dakota.....	4	4	4	4	3	2	0	1	1	0	1	0	15	North Dakota.
Ohio.....	1	3	2	2	1	3	7	3	4	22	15	16	170	Ohio.
Oklahoma.....	1	23	13	27	13	3	0	0	0	0	1	0	15	Oklahoma.
Oregon.....	18	1	4	4	4	4	4	1	1	2	2	2	174	Oregon.
Pennsylvania.....	4	1	4	1	4	4	4	1	1	2	1	1	28	Pennsylvania.
Puerto Rico.....	3	1	3	4	4	4	4	4	1	2	2	2	33	Puerto Rico.
Rhode Island.....	4	4	8	4	1	4	1	2	1	1	1	1	23	Rhode Island.
South Carolina.....	7	3	6	4	1	0	1	1	1	1	1	2	28	South Carolina.
South Dakota.....	4	6	4	11	3	4	4	4	1	5	2	1	47	South Dakota.
Texas.....	1	4	1	1	2	4	4	1	1	1	1	1	10	Texas.
Utah.....	4	4	1	1	3	4	2	3	1	5	0	4	71	Utah.
Vermont.....	1	4	1	15	9	7	4	4	1	5	0	1	10	Vermont.
Washington.....	2	4	17	15	2	1	10	6	11	12	5	10	179	Washington.
Wisconsin.....	22	22	24	26	24	7	7	6	6	12	5	10	179	Wisconsin.

Scarlet fever—Average number of cases reported per annum and average indicated morbidity rates, 1913-1917; cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1918.

State.	Estimated population July 1, 1918.	Average.		1918					State.	
		Years.	Cases reported per annum.	Cases per 1,000 inhabitants.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.		Fatalities per 100 cases.
Alabama.....	2,395,270	1913, 1915-1917-4 years.....	681	0.3	439	0.2	12	0.005	2.7	Alabama.
Arizona.....	272,034	1914, 1916-2 years.....	46	.2	81	.3	2	.007	2.5	Arizona.
Arkansas.....	1,792,965	1917-1 year.....	254	1.1	389	.2	17	.009	4.4	Arkansas.
California.....	3,119,412	1913-1917-5 years.....	3,147	1.1	3,196	1.0	54	.017	1.7	California.
Colorado.....	1,014,581	1914, 1916, 1917-3 years.....	959	1.0	1,624	1.6	35	.027	2.3	Colorado.
Connecticut.....	1,286,268	1913-1917-5 years.....	1,770	1.4	1,550	1.2	8	.014	.027	Connecticut.
Delaware.....	216,941	1913-1917-5 years.....	555	1.5	883	2.2	16	.040	1.8	Delaware.
District of Columbia.....	401,681	1913-1917-5 years.....	46	.2	138	.1	5	.005	3.6	District of Columbia.
Florida.....	938,877	1913-1917-5 years.....	207	.5	4,025	.6	154	.024	3.8	Florida.
Hawaii.....	223,419	1913-1 year.....	14,161	2.3	3,670	1.3	117	.041	3.2	Hawaii.
Idaho.....	461,766	1913, 1914, 1917-3 years.....	4,427	1.6	2,730	1.2	123	.055	4.5	Idaho.
Illinois.....	2,854,167	1913-1917-5 years.....	1,298	.6	2,780	1.2	72	.038	2.3	Illinois.
Indiana.....	2,224,771	1913, 1914, 1916, 1917-4 years.....	1,917	1.1	3,118	1.7	43	.018	2.0	Indiana.
Iowa.....	1,874,195	1913-1917-5 years.....	194	.1	150	.1	3	.002	3.5	Iowa.
Kansas.....	2,408,547	1914-1917-4 years.....	180	.2	371	.5	13	.017	1.8	Kansas.
Louisiana.....	1,884,778	1916, 1917-3 years.....	1,908	1.4	1,313	.9	23	.017	1.7	Louisiana.
Maine.....	782,191	1913-1917-5 years.....	6,761	1.8	4,490	1.2	76	.020	2.7	Maine.
Maryland.....	1,334,539	1913, 1916, 1917-3 years.....	5,658	1.9	6,116	2.0	168	.054	4.2	Maryland.
Massachusetts.....	3,832,790	1913-1917-5 years.....	4,272	1.9	3,768	1.6	137	.067	1.2	Massachusetts.
Michigan.....	3,133,678	do.....	4,488	.3	568	.3	7	.003	4.2	Michigan.
Minnesota.....	2,345,287	1914-1917-4 years.....	867	1.9	1,609	3.3	40	.020	2.8	Minnesota.
Mississippi.....	2,001,466	1913, 1914, 1916, 1917-4 years.....	170	1.7	1,429	1.1	57	.031	2.0	Mississippi.
Missouri.....	3,448,498	1913-1917-5 years.....	15,600	1.5	2,817	.9	300	.028	3.0	Missouri.
Montana.....	486,376	1917-1 year.....	529	.7	689	.3	19	.024	2.8	Montana.
Nebraska.....	1,296,877	1913, 1915, 1917-3 years.....	4,969	1.7	7,299	1.4	170	.032	2.3	Nebraska.
Nevada.....	114,742	1913-1917-5 years.....	170	1.7	553	.8	15	.007	2.7	Nevada.
New Jersey.....	3,080,371	1913-1917-5 years.....	15,600	1.5	804	.3	19	.024	2.3	New Jersey.
New York.....	10,646,989	do.....	529	.7	689	.3	19	.024	2.8	New York.
North Carolina.....	2,468,025	1917-1 year.....	8,228	1.7	7,299	1.4	16	.007	2.7	North Carolina.
North Dakota.....	791,437	1914-1917-4 years.....	1,516	.7	553	.6	15	.007	2.7	North Dakota.
Ohio.....	5,273,814	1913, 1915, 1917-3 years.....	1,516	.7	553	.6	15	.007	2.7	Ohio.
Oklahoma.....	2,377,629	1913-1917-5 years.....	8,280	1.0	7,308	.8	174	.020	2.4	Oklahoma.
Oregon.....	888,243	1913-1917-5 years.....	8,280	1.0	7,308	.8	174	.020	2.4	Oregon.
Pennsylvania.....	8,798,067	1916, 1917-2 years.....	8,280	1.0	7,308	.8	174	.020	2.4	Pennsylvania.

Scarlet fever—Average number of cases reported per annum and average indicated morbidity rates, 1913-1917; cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1918—Continued.

State.	Estimated population July 1, 1918.	Average.		Cases reported per annum.	Cases per 1,000 inhabitants.	1918					State.
		Years.				Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.	
Porto Rico.	1,247,677	1914, 1917-2 years.	1914, 1917-2 years.	2	1.4	593	0.9	1	0.001	4.7	Porto Rico.
Rhode Island.	637,415	1914, 1916, 1917-3 years.	1914, 1916, 1917-3 years.	867	1.4	91	1.1	28	.044	3.3	Rhode Island.
South Carolina.	1,690,934	1913-1917-5 years.	1913-1917-5 years.	268	.2	898	1.2	3	.002	2.8	South Carolina.
South Dakota.	735,434	1913, 1914, 1917-3 years.	1913, 1914, 1917-3 years.	566	.8	1,045	2.2	25	.033	2.7	South Dakota.
Texas.	4,601,279	1915, 1917-2 years.	1915, 1917-2 years.	1,464	3	1,723	3.8	28	.006	2.7	Texas.
Utah.	453,648	1913-1915, 1917-4 years.	1913-1915, 1917-4 years.	1,242	2.9	312	3.8	47	.104	1.7	Utah.
Vermont.	366,192	1914-1917-4 years.	1914-1917-4 years.	1,579	1.6	707	.9	10	.027	3.2	Vermont.
Virginia.	2,234,030	do.	do.	1,600	.7	707	3	71	.043	2.5	Virginia.
Washington.	1,660,578	1913-1917-5 years.	1913-1917-5 years.	786	.5	2,876	1.7	71	.043	2.5	Washington.
West Virginia.	1,439,165	1917-1 year.	1917-1 year.	586	.4	372	3	179	.07	4.1	West Virginia.
Wisconsin.	2,533,983	1913-1917-5 years.	1913-1917-5 years.	3,786	1.5	4,401	1.7	179	.07	4.1	Wisconsin.
Wyoming.	190,380	do.	do.	183	1.1	906	4.8	179	.07	4.1	Wyoming.

Cases of septic sore throat reported, 1918.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Connecticut.....	6	6	1	2	86	1	1	1	1	1	2	6	113	Connecticut.
Illinois.....	9	6	10	5	3	6	2	1	6	10	4	10	72	Illinois.
Kansas.....	2	0	5	1	1	3	0	2	1	3	8	6	32	Kansas.
Louisiana.....	0	0	0	0	0	2	0	0	1	0	0	0	3	Louisiana.
Maryland.....	9	1	1	2	0	1	3	0	0	1	1	3	22	Maryland.
Massachusetts.....	16	12	13	19	10	12	3	2	0	2	4	10	107	Massachusetts.
Minnesota.....	0	0	0	0	0	0	0	1	0	0	0	0	1	Minnesota.
Nebraska.....	0	0	4	5	2	1	10	0	3	6	9	20	12	Nebraska.
New York.....	28	20	6	14	21	4	3	14	33	28	12	22	141	New York.
North Carolina.....	0	0	0	0	5	7	3	0	2	2	12	22	124	North Carolina.
Ohio.....	0	1	0	0	1	2	0	0	0	1	1	1	2	Ohio.
Rhode Island.....	0	22	0	3	1	23	1	22	1	13	2	11	10	Rhode Island.
South Carolina.....	0	0	0	10	35	23	1	22	1	13	2	11	140	South Carolina.

Smallpox—Monthly averages of cases reported during the years for which data are available, 1913-1917.

State.	Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Average per year.	State.
Alabama.....	1913, 1915-1917—1 years.....	98	93	86	77	65	52	25	15	6	21	24	61	624	Alabama.
Arkansas.....	1917—1 year.....	156	232	571	251	245	91	28	20	13	44	44	27	2,016	Arkansas.
California.....	1913-1917—5 years.....	68	71	64	65	44	26	19	21	19	16	25	31	473	California.
Colorado.....	1913, 1914, 1916, 1917—4 years.....	26	23	30	19	31	27	22	9	3	23	40	28	289	Colorado.
Connecticut.....	1913-1917—5 years.....	23	20	25	11	15	15	3	1	3	3	15	27	181	Connecticut.
District of Columbia.....	do.....	0	5	13	2	13	10	3	1	1	3	3	3	64	District of Columbia.
Florida.....	1913—1 year.....	246	211	217	113	94	88	71	29	1	54	17	18	1,166	Florida.
Idaho.....	do.....	73	96	27	42	8	139	23	17	8	6	32	116	609	Idaho.
Illinois.....	1913, 1914, 1917—3 years.....	458	520	580	434	472	185	184	73	84	184	247	116	3,819	Illinois.
Indiana.....	1913-1917—5 years.....	281	397	469	399	366	273	133	99	69	117	309	379	3,271	Indiana.
Iowa.....	1913, 1914, 1916, 1917—4 years.....	308	280	364	299	257	144	72	16	25	65	148	244	2,223	Iowa.
Kansas.....	1913-1917—5 years.....	174	212	306	263	234	168	67	22	27	74	202	250	1,999	Kansas.
Louisiana.....	1914-1917—4 years.....	108	94	89	94	55	22	23	9	5	16	40	92	647	Louisiana.
Maine.....	1917—1 year.....	0	0	0	5	12	44	52	12	7	41	228	199	600	Maine.
Maryland.....	1915-1917—3 years.....	9	7	4	18	16	3	4	0	0	0	8	18	87	Maryland.
Massachusetts.....	1913, 1916, 1917—3 years.....	4	3	11	11	13	21	2	3	2	4	7	4	85	Massachusetts.
Michigan.....	1913-1917—5 years.....	188	154	171	173	155	134	91	37	36	108	204	274	1,725	Michigan.
Minnesota.....	do.....	292	273	271	244	188	145	96	44	37	95	130	267	2,082	Minnesota.
Mississippi.....	1914-1917—4 years.....	216	222	213	251	165	92	43	41	50	61	83	204	1,641	Mississippi.
Montana.....	1913, 1914, 1916, 1917—4 years.....	130	111	93	95	81	85	57	35	32	47	109	116	991	Montana.
Nevada.....	1913, 1915, 1917—3 years.....	35	15	9	13	33	11	1	1	0	1	1	2	122	Nevada.
New Jersey.....	1913-1917—5 years.....	7	3	14	17	3	4	4	(1)	(1)	(1)	1	1	51	New Jersey.
New York.....	do.....	87	74	34	42	36	24	19	7	9	26	28	41	427	New York.
North Dakota.....	1913-1917—2 years.....	22	39	49	76	27	44	30	10	18	49	38	87	480	North Dakota.
Ohio.....	1913-1917—5 years.....	381	339	383	373	344	301	181	90	75	222	370	488	3,547	Ohio.
Oklahoma.....	1913, 1915, 1917—3 years.....	483	369	480	359	277	187	118	66	64	91	141	425	3,070	Oklahoma.
Oregon.....	1916, 1917—2 years.....	11	8	20	29	35	22	18	7	9	10	47	26	460	Oregon.
Pennsylvania.....	1917—1 year.....	1	11	13	40	8	1	4	0	3	1	34	34	233	Pennsylvania.
Porto Rico.....	1913-1917—5 years.....	63	43	58	69	38	32	16	10	3	11	15	25	85	Porto Rico.
South Carolina.....	1913, 1914, 1917—3 years.....	117	141	176	135	102	78	42	24	20	31	94	103	383	South Carolina.
South Dakota.....	1913, 1915, 1917—3 years.....	224	232	332	247	164	104	63	21	32	31	168	190	1,064	South Dakota.
Texas.....	1913-1915, 1917—4 years.....	232	190	144	124	106	79	56	34	50	62	87	99	1,718	Texas.
Utah.....	1913-1915, 1917—4 years.....	19	13	10	17	20	10	12	6	1	3	3	6	1,234	Utah.
Vermont.....	1913-1917—5 years.....	249	210	212	182	136	84	57	37	22	39	53	98	1,118	Vermont.
Virginia.....	do.....	107	76	97	90	86	70	38	25	21	30	40	50	1,379	Virginia.
Washington.....	1917—1 year.....	5	4	8	40	21	30	37	25	20	36	95	96	730	Washington.
West Virginia.....	1913-1917—5 years.....	285	217	211	207	153	104	78	62	35	93	151	257	413	West Virginia.
Wisconsin.....	do.....	8	17	8	2	9	7	10	7	2	4	4	3	1,838	Wisconsin.
Wyoming.....	do.....	8	17	8	2	9	7	10	7	2	4	4	3	81	Wyoming.

1 Less than one.

Cases of smallpox reported, 1918.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	537	1,000	761	408	255	132	85	75	45	31	22	296	3,647	Alabama.
Arizona.....	12	5	66	34	56	17	4	3	1	1	0	1	200	Arizona.
Arkansas.....	762	738	212	457	200	62	101	10	16	14	12	16	2,890	Arkansas.
California.....	42	39	111	81	172	133	43	43	32	119	97	67	1,089	California.
Colorado.....	178	176	230	239	296	133	92	63	52	163	89	102	1,680	Colorado.
Connecticut.....	3	2	21	12	12	11	32	1	0	3	4	0	94	Connecticut.
District of Columbia.....	7	12	1	1	1	6	6	5	0	0	0	0	38	District of Columbia.
Florida.....	742	111	10	3	8	6	1	2	2	1	0	0	39	Florida.
Illinois.....	1,043	1,144	645	557	571	189	103	73	95	42	36	114	3,852	Illinois.
Indiana.....	1,060	1,123	1,027	804	368	314	156	84	30	176	190	132	3,852	Indiana.
Iowa.....	630	569	539	414	369	220	121	86	47	79	108	67	2,307	Iowa.
Kansas.....	994	1,419	1,940	1,132	1,077	435	174	80	56	89	12	70	7,130	Kansas.
Louisiana.....	65	138	133	132	186	101	56	30	2	34	12	20	580	Louisiana.
Maine.....	12	103	174	87	122	102	50	12	18	16	15	20	583	Maine.
Maryland.....	3	12	17	3	13	12	5	0	0	0	0	7	219	Maryland.
Massachusetts.....	1,083	997	1,0	447	491	247	119	92	87	137	111	60	4,417	Massachusetts.
Michigan.....	1,083	997	689	447	491	247	119	92	87	137	111	60	4,417	Michigan.
Minnesota.....	210	285	355	331	217	213	107	44	52	65	207	180	2,352	Minnesota.
Mississippi.....	631	690	822	682	413	160	90	41	37	58	114	63	2,601	Mississippi.
Montana.....	246	172	157	118	137	103	54	17	28	50	18	14	1,104	Montana.
Nebraska.....	451	547	606	640	545	325	139	40	269	152	78	96	3,006	Nebraska.
New Jersey.....	3	3	32	0	2	1	7	2	0	0	0	0	62	New Jersey.
New York.....	140	68	52	62	95	35	33	25	6	7	5	7	535	New York.
North Carolina.....	45	159	147	105	80	48	68	40	34	34	41	98	899	North Carolina.
North Dakota.....	57	52	72	51	31	47	11	3	9	2	8	2	345	North Dakota.
Ohio.....	2,098	1,642	1,676	1,276	1,214	638	419	198	121	226	460	269	10,227	Ohio.
Oregon.....	20	25	32	25	66	51	56	28	49	33	61	47	493	Oregon.
Pennsylvania.....	86	111	80	101	95	52	51	14	3	3	5	2	612	Pennsylvania.
Porto Rico.....	12	1	4	1	2	0	1	0	0	0	0	0	27	Porto Rico.
Rhode Island.....	1	0	0	1	0	0	0	0	0	0	0	0	2	Rhode Island.
South Carolina.....	4	16	12	8	28	13	10	4	5	84	32	8	214	South Carolina.
South Dakota.....	124	131	113	138	141	151	77	18	48	48	26	67	1,050	South Dakota.
Texas.....	431	875	948	556	720	280	101	67	125	33	50	132	4,338	Texas.
Utah.....	377	312	236	203	222	236	130	124	107	126	91	99	2,263	Utah.
Vermont.....	5	7	6	19	3	1	0	0	1	7	0	1	53	Vermont.
Virginia.....	144	172	209	348	206	120	73	31	39	88	76	99	1,603	Virginia.
Washington.....	112	62	198	190	171	190	137	113	110	116	123	154	1,676	Washington.
West Virginia.....	230	301	184	218	145	63	35	22	24	16	24	14	1,266	West Virginia.
Wisconsin.....	459	384	313	369	224	240	159	63	63	193	99	76	2,592	Wisconsin.
Wyoming.....	6	45	55	36	51	20	8	9	19	35	17	11	312	Wyoming.

Deaths registered as due to smallpox, 1918.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	2	4	5	1	1	2	0	0	0	0	1	0	16	Alabama.
Arizona.....	2	0	1	5	3	1	0	1	0	1	1	0	21	Arizona.
Arkansas.....	0	7	2	5	3	1	0	1	0	1	1	0	21	Arkansas.
California.....	4	2	4	1	1	1	1	1	1	1	1	2	14	California.
Illinois.....	3	1	2	3	3	1	3	0	0	1	1	2	24	Illinois.
Indiana.....	3	2	2	3	3	1	1	0	0	1	1	2	24	Indiana.
Iowa.....	2	3	0	0	0	1	1	0	0	1	1	2	10	Iowa.
Kansas.....	3	3	0	0	0	1	0	0	0	1	1	2	26	Kansas.
Kentucky.....	2	4	7	8	3	0	0	0	0	0	0	1	8	Kentucky.
Louisiana.....	2	4	0	0	1	1	0	0	0	0	0	0	8	Louisiana.
Michigan.....	2	1	0	1	0	0	1	0	0	2	1	1	11	Michigan.
Minnesota.....	0	4	2	2	1	1	1	0	0	0	1	0	6	Minnesota.
Missouri.....	0	0	0	0	3	1	1	0	0	0	1	0	4	Missouri.
Nebraska.....	0	1	2	0	1	0	1	0	0	0	1	0	4	Nebraska.
New York.....	1	1	1	1	1	1	1	1	1	1	1	1	11	New York.
North Dakota.....	1	1	1	1	1	1	1	1	1	1	1	1	11	North Dakota.
Ohio.....	5	4	2	1	2	3	4	0	0	0	1	0	22	Ohio.
Oklahoma.....	2	4	6	5	6	2	0	1	0	0	0	0	22	Oklahoma.
Pennsylvania.....	2	4	6	5	6	2	0	1	0	0	0	0	22	Pennsylvania.
Rhode Island.....	1	1	1	1	1	1	1	1	1	1	1	1	1	Rhode Island.
South Dakota.....	1	1	1	1	1	1	1	1	1	1	1	1	1	South Dakota.
Texas.....	25	22	11	6	9	11	3	3	8	11	8	7	124	Texas.
Utah.....	1	3	1	1	1	1	2	3	3	2	1	1	10	Utah.
Washington.....	1	1	1	1	1	1	2	1	1	2	1	2	4	Washington.
Wisconsin.....	1	1	1	2	1	1	1	1	1	1	1	1	7	Wisconsin.
Wyoming.....	1	1	1	2	2	1	1	1	1	1	1	1	6	Wyoming.

Smallpox—Average number of cases reported per annum and average indicated morbidity rates, 1913-1917; cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1918.

State.	Estimated population July 1, 1918.	Average.			1918.				State.
		Years.	Cases reported per annum.	Cases per 1,000 inhabitants.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	
Alabama.....	2,335,270	1913, 1915-1917-4 years.....	624	0.27	3,647	1.52	16	0.007	Alabama.
Arizona.....	272,034	1917-1 year.....	2,016	1.14	200	.74	3	.011	Arizona.
Arkansas.....	1,792,965	1913-1917-5 years.....	475	.17	2,590	1.44	21	.012	Arkansas.
California.....	3,119,412	1913-1917-5 years.....	289	.31	1,069	.34	3	.001	California.
Colorado.....	1,014,831	1913-1917-5 years.....	181	.15	1,680	1.66	Colorado.
Connecticut.....	1,286,268	1913-1917-5 years.....	181	.15	94	.07	Connecticut.

Tuberculosis (pulmonary)—Monthly averages of cases reported during the years for which data are available, 1916-17.

State.	Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Average per year.	State.
Alabama.....	1916, 1917—2 years.....	244	250	304	319	275	268	268	253	207	218	176	207	2,989	Alabama.
Arizona.....	1916—1 year.....	2	0	0	0	0	4	0	0	2	-1	0	0	19	Arizona.
Connecticut.....	do.....	162	177	180	183	197	170	165	168	152	161	142	159	2,016	Connecticut.
Hawaii.....	1916, 1917—2 years.....	86	98	78	65	71	73	61	63	57	74	65	88	879	Hawaii.
Illinois.....	do.....	59	235	1,204	973	884	1,089	1,306	1,237	1,239	444	1,552	1,538	12,710	Illinois.
Indiana.....	1917—1 year.....	247	263	301	276	274	255	227	225	213	195	190	179	2,861	Indiana.
Louisiana.....	1916, 1917—2 years.....	150	167	176	164	172	205	133	196	147	164	126	139	1,939	Louisiana.
Maryland.....	1916—1 year.....	266	259	289	272	346	262	323	299	262	224	209	235	3,246	Maryland.
Massachusetts.....	do.....	689	668	700	686	711	713	776	658	628	608	621	663	8,121	Massachusetts.
Minnesota.....	do.....	373	356	400	413	442	412	346	369	372	368	292	336	4,479	Minnesota.
Montana.....	do.....	24	34	12	29	27	19	14	21	31	23	21	12	64	Montana.
Nevada.....	do.....	4	2	9	8	6	5	9	4	3	5	4	5	5	Nevada.
New York.....	1917—1 year.....	2,641	2,413	2,956	2,464	2,506	2,637	2,333	2,561	2,087	2,201	2,171	1,986	28,976	New York.
North Dakota.....	1916—1 year.....	5	13	8	7	20	17	26	17	11	16	11	19	174	North Dakota.
Oregon.....	do.....	49	44	48	48	27	26	30	30	29	31	32	31	425	Oregon.
Rhode Island.....	1916, 1917—2 years.....	65	63	85	90	83	92	78	62	66	58	53	58	853	Rhode Island.
South Carolina.....	1917—1 year.....	40	28	23	17	24	27	30	12	17	11	19	19	267	South Carolina.
South Dakota.....	do.....	13	8	10	35	7	14	20	12	7	9	7	4	146	South Dakota.
Utah.....	do.....	5	6	5	6	7	4	3	4	7	6	2	5	60	Utah.
Vermont.....	1916, 1917—2 years.....	18	11	17	17	38	36	28	26	16	14	21	49	291	Vermont.
Washington.....	do.....	112	91	113	126	102	82	82	73	95	74	82	94	1,127	Washington.
West Virginia.....	1917—1 year.....	34	24	40	27	34	35	10	32	25	28	36	43	1,368	West Virginia.

Cases of tuberculosis (pulmonary) reported, 1918.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	227	258	233	283	268	245	218	192	188	169	195	2,688	Alabama.
District of Columbia.....	110	87	81	114	122	91	90	83	76	80	88	1,132	District of Columbia.
Indiana.....	201	140	425	326	300	364	316	237	147	141	208	3,076	Indiana.
Maryland.....	239	276	419	400	337	289	343	391	198	491	173	3,858	Maryland.
Massachusetts.....	637	677	814	779	886	764	614	302	441	525	528	7,841	Massachusetts.
Minnesota.....	380	274	278	343	417	291	338	323	300	441	266	3,611	Minnesota.
Nebraska.....	33	13	13	27	21	21	10	12	10	11	14	239	Nebraska.
New York.....	2,326	2,015	2,216	2,746	2,312	2,668	1,784	1,666	1,330	1,259	1,399	24,001	New York.
North Dakota.....	17	8	37	15	19	7	18	18	5	2	2	168	North Dakota.
Porto Rico.....	62	76	108	128	156	135	198	177	105	95	126	1,521	Porto Rico.
Rhode Island.....	65	71	60	96	60	73	82	66	17	54	36	745	Rhode Island.
South Dakota.....	13	12	11	30	22	13	22	25	26	14	34	261	South Dakota.
Utah.....	4	3	3	6	5	3	2	2	3	4	4	47	Utah.
Vermont.....	11	12	13	20	23	17	8	12	8	12	14	192	Vermont.
West Virginia.....	11	12	31	47	16	12	20	15	10	8	8	195	West Virginia.
Wisconsin.....	174	159	159	222	219	171	185	109	106	109	112	1,852	Wisconsin.

Deaths registered as due to tuberculosis (pulmonary), 1918.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	206	223	233	251	238	215	194	188	156	192	168	172	2,436	Alabama.
Arizona.....	97	83	118	113	87	32	45	65	60	113	72	143	1,048	Arizona.
Arkansas.....	91	85	115	108	120	114	93	62	64	111	93	184	1,240	Arkansas.
California.....	403	419	498	506	434	386	380	376	358	479	464	507	5,210	California.
Connecticut.....	173	138	164	171	159	133	111	106	119	192	139	161	1,766	Connecticut.
District of Columbia.....	59	45	77	56	63	51	50	60	43	58	41	44	647	District of Columbia.
Florida.....	113	78	85	74	90	78	83	68	73	91	91	81	1,005	Florida.
Hawaii.....	44	27	30	28	29	31	46	39	30	32	33	35	404	Hawaii.
Illinois.....	617	587	804	847	700	606	522	491	505	659	635	646	7,619	Illinois.
Indiana.....	282	297	365	384	301	291	240	229	200	242	255	289	3,385	Indiana.
Iowa.....	142	108	116	129	116	116	95	81	90	97	122	123	1,335	Iowa.
Kansas.....	93	67	93	85	72	61	61	67	54	83	74	101	911	Kansas.
Kentucky.....	353	384	463	427	362	360	261	293	234	362	314	267	4,080	Kentucky.
Louisiana.....	277	240	280	319	278	268	240	211	204	281	219	223	3,040	Louisiana.
Maine.....	48	75	63	79	67	58	53	37	47	80	48	64	719	Maine.
Maryland.....	241	215	319	249	219	194	210	187	158	339	206	196	2,733	Maryland.
Massachusetts.....	397	402	443	527	423	388	369	334	393	490	398	446	5,010	Massachusetts.
Michigan.....	215	262	300	333	280	234	222	204	174	270	194	252	2,920	Michigan.
Minnesota.....	167	151	172	215	194	158	130	118	131	144	205	191	1,976	Minnesota.
Nebraska.....	40	50	59	38	31	59	27	31	30	37	31	47	480	Nebraska.
New York.....	1,382	1,287	1,658	1,442	1,284	1,145	1,016	1,001	929	1,522	1,235	1,139	15,040	New York.
North Dakota.....	19	26	24	32	24	23	16	18	16	17	21	34	270	North Dakota.
Ohio.....	576	544	695	681	598	497	451	419	391	517	530	546	6,445	Ohio.
Oklahoma.....	47	47	89	94	115	72	85	77	58	86	75	73	918	Oklahoma.
Oregon.....	43	50	65	54	46	47	42	26	20	50	32	517	Oregon.	
Pennsylvania.....	839	910	1,084	1,087	883	767	725	758	724	1,252	939	915	10,923	Pennsylvania.
Porto Rico.....	199	201	201	201	199	107	255	252	197	198	242	256	2,508	Porto Rico.
Rhode Island.....	75	68	83	83	72	58	60	65	67	99	76	73	879	Rhode Island.
South Carolina.....	101	131	162	156	177	136	110	118	118	148	119	140	1,616	South Carolina.
South Dakota.....	13	12	11	30	22	13	22	25	26	14	34	39	261	South Dakota.
Texas.....	419	393	433	464	416	376	345	278	267	299	333	311	4,134	Texas.
Utah.....	13	13	18	13	10	11	12	12	12	22	18	25	180	Utah.
Vermont.....	26	20	23	24	38	11	12	19	26	32	23	22	312	Vermont.
Washington.....	82	91	102	106	111	53	70	58	92	90	94	98	1,087	Washington.
Wisconsin.....	140	163	194	233	203	154	182	166	139	150	143	198	2,065	Wisconsin.

Tuberculosis (pulmonary)—Average cases reported per annum and average indicated morbidity rates, 1916-1917; cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered, 1918.

State.	Estimated population July 1, 1918.	Average.			1918					State.
		Years.	Cases reported per annum.	Cases per 1,000 inhabitants.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Number of cases reported for each death registered.	
Alabama.....	2,395,370	1916, 1917—2 years.....	2,987	1.3	2,688	1.1	2,436	1.0	1.1	Alabama.
Arizona.....	2,272,034	1916—1 year.....	19	.1			1,048	3.9		Arizona.
Arkansas.....	1,792,985						1,240			Arkansas.
California.....	3,119,412						5,210	1.7		California.
Connecticut.....	1,286,268	1916—1 year.....	2,016	1.6			1,766	1.4		Connecticut.
District of Columbia.....	1,401,681				1,132	2.8	1,647	1.6	1.7	District of Columbia.
Florida.....	938,877						1,005	1.1		Florida.
Hawaii.....	223,419	1916, 1917—2 years.....	879	4.0			404	1.8		Hawaii.
Illinois.....	6,317,734	1917—1 year.....	12,710	2.0			7,619	1.2		Illinois.
Indiana.....	2,854,167	1916, 1917—2 years.....	2,861	1.0	3,076		3,385	1.2		Indiana.
Iowa.....	2,224,771						1,335	1.6		Iowa.
Kansas.....	1,874,195						911	.5		Kansas.
Kentucky.....	2,408,547						4,080	1.7		Kentucky.
Louisiana.....	1,884,778	1916—1 year.....	1,939	1.1			3,040	1.6		Louisiana.
Maine.....	782,191						719	.9		Maine.
Maryland.....	1,384,589	1916, 1917—2 years.....	3,246	2.4	3,858	2.8	2,733	2.0	1.4	Maryland.
Massachusetts.....	3,832,790	1916, 1917—2 years.....	8,121	2.2	7,841	2.0	5,010	1.3	1.6	Massachusetts.
Michigan.....	3,133,678						2,920	.9		Michigan.
Minnesota.....	2,345,267						1,976	.8	1.8	Minnesota.
Missouri.....	2,001,466	1916, 1917—2 years.....	4,479	2.0	3,611	1.5	2,652	1.3		Missouri.
Montana.....	3,448,498						4,145	1.2		Montana.
Nebraska.....	3,486,376	1916, 1917—2 years.....	267	.6	239		480	.4		Nebraska.
Nevada.....	1,296,877									Nevada.
New York.....	11,114,742	1917—1 year.....	64	.6			15,040	1.4	1.6	New York.
North Dakota.....	10,646,989	1916, 1917—2 years.....	28,976	2.8	24,001	2.3	270	.3		North Dakota.
Ohio.....	7,914,437	1917—1 year.....	174	.2	168		6,445	1.2		Ohio.
Oklahoma.....	5,273,814						918	.4		Oklahoma.
Oregon.....	2,377,629	1916—1 year.....	425	.5			517	.6		Oregon.
Pennsylvania.....	8,798,067						10,923	1.2		Pennsylvania.
Porto Rico.....	1,247,677				1,521		2,508	2.0		Porto Rico.
Rhode Island.....	1,637,415	1916, 1917—2 years.....	853	1.4	745		879	1.4		Rhode Island.
South Carolina.....	1,660,934	1917—1 year.....	267	.2			1,016	1.0		South Carolina.
South Dakota.....	735,434	1917—1 year.....	146	.2	261		261	.4		South Dakota.

Texas.....	4, 601, 279	1917-1 year.....	60	47	4, 134	9	Texas.
Utah.....	433, 648	1916, 1917-2 years.....	291	192	180	9	Utah.
Vermont.....	396, 192	1916, 1917-2 years.....	1, 127	7	312	9	Vermont.
Washington.....	1, 660, 578	1916, 1917-2 years.....	1, 368	8	1, 087	7	Washington.
West Virginia.....	1, 439, 165	1917-1 year.....		1, 852	2, 065	8	West Virginia.
Wisconsin.....	2, 553, 983						Wisconsin.

Tuberculosis (all forms)—Monthly averages of cases reported during the years for which data are available, 1916-17.

State.	Years.	Jan- uary.	Feb- ruary.	March.	April.	May.	June.	July.	Aug- ust.	Sep- tem- ber.	Octo- ber.	No- vem- ber.	De- cem- ber.	Aver- age per year.	State.
Arkansas.....	1917-1 year.....	32	66	43	29	64	54	94	47	43	24	15	86	597	Arkansas.
California.....	1916, 1917-2 years.....	642	564	715	565	644	465	424	635	591	624	567	562	6, 998	California.
Connecticut.....	1917-1 year.....	137	156	130	158	173	149	152	153	140	152	161	134	1, 795	Connecticut.
District of Columbia.....	1916, 1917-2 years.....	83	80	95	94	92	84	95	94	78	84	84	69	1, 032	District of Columbia.
Hawaii.....	1916, 1917-2 years.....	98	101	86	68	76	77	74	68	62	75	80	94	954	Hawaii.
Illinois.....	1917-1 year.....	113	1, 250	1, 211	1, 003	866	1, 160	1, 313	1, 258	1, 245	448	1, 559	2, 573	13, 999	Illinois.
Indiana.....	1917-1 year.....	330	362	408	377	380	338	264	304	273	251	367	221	3, 875	Indiana.
Kansas.....	1916, 1917-2 years.....	128	126	147	112	145	127	119	131	107	95	108	100	1, 445	Kansas.
Louisiana.....	1917-1 year.....	23	215	213	183	164	174	201	127	122	139	130	188	1, 879	Louisiana.
Maine.....	1917-1 year.....	52	22	24	36	79	68	43	34	43	37	32	33	503	Maine.
Massachusetts.....	1916, 1917-2 years.....	744	726	762	748	775	773	842	723	683	659	690	714	8, 839	Massachusetts.
Michigan.....	1916, 1917-2 years.....	402	537	537	533	596	536	393	564	387	419	352	660	5, 966	Michigan.
Minnesota.....	1916, 1917-2 years.....	410	393	442	454	485	453	331	408	395	398	320	368	4, 907	Minnesota.
Mississippi.....	1917-1 year.....	513	588	620	594	724	538	647	652	592	514	438	432	6, 852	Mississippi.
New Jersey.....	1916, 1917-2 years.....	809	696	921	845	825	752	718	667	542	661	620	541	8, 597	New Jersey.
New York.....	1916, 1917-2 years.....	2, 697	2, 507	3, 018	2, 523	2, 570	2, 702	2, 415	2, 608	2, 121	2, 237	2, 196	2, 016	29, 613	New York.
North Dakota.....	1917-1 year.....	6	14	10	14	21	22	26	19	16	18	12	21	199	North Dakota.
Ohio.....	1916, 1917-2 years.....	527	580	689	628	582	588	536	442	424	434	421	394	6, 225	Ohio.
Oklahoma.....	1917-1 year.....	54	54	72	42	40	46	34	32	33	22	52	20	501	Oklahoma.
Oregon.....	1916, 1917-2 years.....	43	37	71	56	46	49	51	48	36	41	43	44	565	Oregon.
Pennsylvania.....	1916, 1917-2 years.....	1, 086	855	1, 117	1, 136	1, 068	1, 084	1, 009	1, 009	795	801	778	769	11, 457	Pennsylvania.
Porto Rico.....	1917-1 year.....	59	63	66	73	71	82	68	66	99	116	85	103	951	Porto Rico.
Rhode Island.....	1916, 1917-2 years.....	68	65	93	94	90	94	80	67	73	61	56	62	903	Rhode Island.
South Carolina.....	1916, 1917-2 years.....	17	18	28	10	18	22	39	0	49	14	21	15	251	South Carolina.
South Dakota.....	1917-1 year.....	13	9	12	36	7	14	20	14	7	13	8	4	157	South Dakota.
Texas.....	1917-1 year.....	147	88	106	84	69	78	55	103	19	147	149	194	1, 239	Texas.
Virginia.....	1916, 1917-2 years.....	321	298	362	317	315	285	220	288	293	212	232	227	3, 370	Virginia.
West Virginia.....	1917-1 year.....	35	24	41	28	35	35	10	33	25	28	36	44	374	West Virginia.
Wisconsin.....	1916, 1917-2 years.....	140	117	189	122	196	177	186	213	107	115	122	116	1, 800	Wisconsin.
Wyoming.....	1916-1 year.....	6	4	2	4	8	2	6	7	3	2	6	6	56	Wyoming.

Cases of tuberculosis (all forms) reported, 1918.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	288	283	261	297	284	265	235	230	200	199	173	205	2,870	Alabama.
Arkansas.....	69	74	123	130	127	11	58	54	45	56	32	63	864	Arkansas.
California.....	683	628	1353	567	810	623	713	708	582	766	465	441	7,884	California.
Colorado.....	138	148	178	176	205	236	247	238	150	140	131	135	629	Colorado.
Connecticut.....	137	143	42	39	42	40	35	208	174	174	155	138	2,197	Connecticut.
Florida.....	1,840	1,143	1,722	1,446	1,692	1,353	1,565	1,183	973	894	1,208	637	15,559	Florida.
Illinois.....	1,150	1,160	207	1,156	184	166	1,563	1,165	130	123	121	114	1,992	Illinois.
Louisiana.....	92	160	30	30	21	136	131	132	22	72	25	19	1,902	Louisiana.
Maine.....	22	30	9	10	21	81	61	44	20	45	570	569	8,586	Maine.
Massachusetts.....	706	753	808	865	946	813	897	860	614	612	465	294	569	Massachusetts.
Michigan.....	130	442	327	330	230	148	697	360	256	302	259	269	3,655	Michigan.
Minnesota.....	336	282	283	353	438	296	346	332	306	133	268	271	3,700	Minnesota.
Missouri.....	435	546	678	637	612	670	608	488	369	344	310	247	6,580	Missouri.
Montana.....	19	16	23	37	13	70	24	97	64	10	1	190	6,509	Montana.
New Jersey.....	518	602	819	826	731	620	724	636	594	509	756	587	7,046	New Jersey.
New York.....	258	351	350	227	307	536	288	292	441	189	128	131	3,423	New York.
North Carolina.....	599	643	647	628	656	635	595	579	456	329	274	372	6,403	North Carolina.
Ohio.....	38	57	79	70	78	91	78	102	81	46	31	42	703	Ohio.
Oregon.....	852	983	1,077	1,244	1,005	1,186	859	903	760	261	231	639	10,115	Oregon.
Pennsylvania.....	70	82	118	133	174	150	217	165	196	119	114	140	1,686	Pennsylvania.
Porto Rico.....	66	74	63	106	63	77	86	72	68	19	11	17	1,792	Porto Rico.
Rhode Island.....	11	31	23	32	40	23	24	36	20	10	10	17	286	Rhode Island.
South Carolina.....	17	16	17	35	27	15	23	28	28	20	37	44	307	South Carolina.
South Dakota.....	127	148	198	215	134	162	106	113	214	76	49	48	1,590	South Dakota.
Texas.....	221	267	336	337	252	214	212	207	158	174	131	139	2,638	Texas.
Virginia.....	62	95	106	137	160	103	102	130	102	48	58	79	1,172	Virginia.
Washington.....														Washington.
Wyoming.....							2	1					4	Wyoming.

Deaths registered as due to tuberculosis (all forms), 1918.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	217	248	261	265	252	231	211	206	164	203	172	182	2,612	Alabama.
Arizona.....	103	90	122	125	97	59	50	69	62	116	76	146	1,115	Arizona.
Arkansas.....	98	95	117	114	122	117	117	97	66	116	94	191	1,289	Arkansas.
California.....	405	472	568	572	508	441	424	426	419	553	500	563	5,861	California.
Connecticut.....	231	158	188	199	192	145	131	126	139	217	156	184	2,086	Connecticut.
Delaware.....	47	42	45	34	34	34	22	38	37	46	20	33	440	Delaware.
District of Columbia.....	70	54	83	66	66	55	62	70	47	69	47	50	739	District of Columbia.
Florida.....	119	82	94	79	98	85	87	73	76	97	100	91	1,081	Florida.
Hawaii.....	51	30	35	35	35	41	53	45	35	36	34	42	473	Hawaii.
Illinois.....	686	656	890	939	798	682	597	567	566	740	703	696	8,520	Illinois.
Indiana.....	323	350	420	461	361	336	285	276	247	280	289	316	3,944	Indiana.
Iowa.....	150	132	132	157	139	140	121	99	112	108	138	135	1,563	Iowa.
Kansas.....	99	78	108	99	88	74	73	71	65	92	83	108	1,088	Kansas.
Kentucky.....	401	425	513	479	418	409	297	333	280	397	341	298	4,591	Kentucky.
Louisiana.....	285	257	302	342	299	285	266	227	218	308	241	238	3,278	Louisiana.
Maine.....	72	91	87	92	86	81	68	53	64	97	57	73	921	Maine.
Massachusetts.....	460	470	510	605	490	461	427	393	451	528	462	501	5,758	Massachusetts.
Michigan.....	278	313	351	380	330	279	260	252	210	289	235	286	3,463	Michigan.
Minnesota.....	199	188	219	260	254	183	167	151	166	173	229	219	2,408	Minnesota.
Nebraska.....	50	61	72	52	37	67	38	38	35	49	43	52	594	Nebraska.
New Jersey.....	302	398	522	475	426	347	347	342	316	485	338	351	4,739	New Jersey.
New York.....	1,552	1,448	1,858	1,631	1,468	1,335	1,188	1,156	1,058	1,668	1,332	1,259	16,953	New York.
North Dakota.....	19	26	26	32	30	31	21	22	16	20	21	35	299	North Dakota.
Ohio.....	665	632	837	809	728	607	549	511	477	610	598	626	7,649	Ohio.
Oklahoma.....	52	50	95	99	130	80	93	90	64	92	81	75	1,001	Oklahoma.
Oregon.....	53	54	79	64	55	61	58	38	25	56	56	39	638	Oregon.
Pennsylvania.....	999	1,061	1,287	1,316	1,089	947	893	905	850	1,409	1,032	1,067	12,875	Pennsylvania.
Porto Rico.....	214	221	222	210	211	115	267	269	213	210	262	279	2,693	Porto Rico.
Rhode Island.....	95	87	106	112	86	77	73	87	80	117	88	85	1,093	Rhode Island.
South Carolina.....	112	144	176	172	191	151	121	131	129	150	131	149	1,757	South Carolina.
South Dakota.....	17	16	17	35	27	15	23	28	28	20	37	44	307	South Dakota.
Texas.....	439	417	464	502	473	412	380	108	278	315	345	323	4,456	Texas.
Utah.....	15	15	24	24	10	16	16	17	12	23	19	17	207	Utah.
Vermont.....	33	24	31	41	43	36	25	22	31	34	26	25	371	Vermont.
Washington.....	106	122	140	114	182	107	117	90	84	108	110	114	1,364	Washington.
Wisconsin.....	150	182	224	268	238	180	202	198	168	173	147	219	2,337	Wisconsin.
Wyoming.....	6	4	4	9	4	6	3	5	6	7	16	1	61	Wyoming.

Tuberculosis (all forms)—Average number of cases reported per annum and average indicated morbidity rates, 1916-17; cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered, 1918.

State.	Estimated population, July 1, 1918.	Average.			1918					State.
		Years.	Cases reported per annum.	Cases per 1,000 inhabitants.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Number of cases reported for each death registered.	
Alabama.....	2,395,270	2,870	1.2	2,612	1.1	1.1	Alabama.
Arizona.....	2,272,024	1,115	4.1	Arizona.
Arkansas.....	1,792,965	1917-1 year.....	597	0.3	864	1,289	1.9	Arkansas.
California.....	3,119,412	1916, 1917-2 years.....	6,898	2.3	7,531	2.4	5,861	1.7	1.3	California.
Colorado.....	1,014,581	623	Colorado.
Connecticut.....	1,286,268	1917-j year.....	1,785	1.4	2,167	1.7	2,036	1.6	1.1	Connecticut.
Delaware.....	216,941	440	2.0	Delaware.
District of Columbia.....	401,681	1916, 1917-2 years.....	1,032	2.8	739	1.8	District of Columbia.
Florida.....	938,877	522	1,081	1.2	Florida.
Hawaii.....	223,419	1916, 1917-2 years.....	954	3.6	1,473	2.1	Hawaii.
Illinois.....	6,317,734	1917-1 year.....	13,909	2.2	15,556	2.5	8,520	1.3	1.8	Illinois.
Indiana.....	2,854,167do.....	3,875	1.4	3,944	1.4	Indiana.
Iowa.....	2,224,771	1,563	Iowa.
Kansas.....	1,874,195	1916, 1917-2 years.....	1,445	.8	1,038	.6	Kansas.
Kentucky.....	2,408,547	4,591	1.9	Kentucky.
Louisiana.....	1,884,778	1917-1 year.....	1,579	1.0	1,992	3,278	1.7	Louisiana.
Maine.....	782,191do.....	503	.6	296	921	1.2	Maine.
Massachusetts.....	3,832,790	1916, 1917-2 years.....	8,839	2.4	8,589	2.2	5,758	1.5	1.5	Massachusetts.
Michigan.....	3,133,678do.....	5,966	1.9	3,655	1.2	3,463	1.1	1.1	Michigan.
Minnesota.....	2,345,287do.....	4,907	2.1	3,705	1.6	2,408	1.6	1.5	Minnesota.
Mississippi.....	2,001,466	1917-1 year.....	6,852	3.5	5,860	2.9	2,798	1.4	2.1	Mississippi.
Missouri.....	3,448,498	509	4,587	1.3	Missouri.
Montana.....	376,486	1.0	Montana.
Nebraska.....	1,296,876	594	.5	Nebraska.
New Jersey.....	3,080,371	1916, 1917-2 years.....	8,397	2.9	7,946	2.6	4,739	1.5	1.7	New Jersey.
New York.....	10,646,989do.....	29,613	2.9	16,963	1.6	New York.
North Carolina.....	2,468,025	3,521	1.4	North Carolina.
North Dakota.....	791,457	1917-1 year.....	199	.3	299	.4	North Dakota.
Ohio.....	5,273,814	1916, 1917-2 years.....	6,225	1.2	6,403	7,649	1.5	Ohio.
Oklahoma.....	277,639	1917-1 year.....	501	1.2	1,001	Oklahoma.
Oregon.....	888,243	1916, 1917-2 years.....	565	.7	793	.9	638	.7	Oregon.
Pennsylvania.....	8,798,067do.....	11,457	1.3	10,115	12,875	1.5	1.2	Pennsylvania.
Porto Rico.....	1,247,677	1917-1 year.....	951	.8	1,686	2,693	2.2	Porto Rico.
Rhode Island.....	637,415	1916, 1917-2 years.....	903	1.5	792	1,093	1.7	Rhode Island.

South Carolina.	1,660,934	1916-1 year	251	.2	286	1,757	1.1	South Carolina.
South Dakota.	735,434	1917-1 year	157	.2	307	307	.4	South Dakota.
Texas.	4,601,279	do	1,239	.3	1,590	4,456	1.0	Texas.
Utah.	453,648					207	.5	Utah.
Vermont.	366,192					371	1.0	Vermont.
Virginia.	2,234,030	1916, 1917-2 years	3,370	1.5	2,638	1.2				Virginia.
Washington.	1,660,378				1,172	1,364	.8	Washington.
West Virginia.	1,439,165	1917-1 year	374	.3					West Virginia.
Wisconsin.	2,533,983	1916, 1917-2 years	1,800	.7		2,337	.9	Wisconsin.
Wyoming.	190,380	1916-1 year	56	.3	4	61	.3	Wyoming.

Typhoid fever—Monthly averages of cases reported during the years for which data are available, 1913-1917.

State.	Years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Average per year.	State.
Alabama.....	1913, 1915-1917-4 years.....	81	67	50	65	117	310	575	532	339	265	152	89	2,642	Alabama.
Arizona.....	1916-1 year.....	0	0	3	25	0	9	6	7	5	14	5	0	0	Arizona.
Arkansas.....	1913-1917-5 years.....	22	40	23	25	56	49	133	128	122	87	48	41	774	Arkansas.
California.....	1914, 1916, 1917-3 years.....	100	70	76	80	95	105	165	185	105	169	101	104	1,409	California.
Colorado.....	1913-1917-5 years.....	24	8	10	20	16	23	54	185	105	114	57	23	743	Colorado.
Connecticut.....	1913-1917-5 years.....	22	22	27	23	29	41	56	144	166	95	84	35	361	Connecticut.
District of Columbia.....	1913-1917-5 years.....	15	12	12	13	14	24	37	72	68	47	32	15	213	District of Columbia.
Hawaii.....	1913-1917-5 years.....	11	17	17	16	15	16	13	11	16	33	28	20	176	Hawaii.
Idaho.....	1913-1917-5 years.....	0	0	1	0	0	10	12	26	56	33	30	18	3741	Idaho.
Illinois.....	1913, 1914, 1917-3 years.....	239	171	140	184	136	145	324	512	686	508	427	269	3,741	Illinois.
Indiana.....	1913-1917-5 years.....	113	99	107	101	82	97	219	532	472	345	221	135	2,523	Indiana.
Kansas.....	1913-1917-5 years.....	37	34	41	33	39	51	212	351	335	322	214	125	1,799	Kansas.
Louisiana.....	1913-1917-5 years.....	46	22	21	41	69	125	160	124	84	107	80	120	1,009	Louisiana.
Maine.....	1914-1917-4 years.....	19	11	6	10	11	7	19	32	47	27	22	31	242	Maine.
Maryland.....	1916, 1917-2 years.....	107	71	75	79	97	122	242	545	603	407	232	156	2,736	Maryland.
Massachusetts.....	1915-1917-3 years.....	102	73	69	92	79	92	138	296	364	263	153	98	1,819	Massachusetts.
Michigan.....	1913, 1916, 1917-3 years.....	131	124	113	114	91	119	152	274	322	258	154	104	1,956	Michigan.
Minnesota.....	1913-1917-5 years.....	73	58	63	54	45	58	84	165	188	177	106	79	1,150	Minnesota.
Mississippi.....	1913-1917-5 years.....	257	193	164	157	239	616	955	1,042	816	642	480	305	5,926	Mississippi.
Montana.....	1914-1917-4 years.....	51	34	26	36	29	23	35	52	69	76	42	19	492	Montana.
Nevada.....	1913, 1914, 1916, 1917-4 years.....	7	2	4	4	5	9	9	21	26	22	11	8	130	Nevada.
New Jersey.....	1913, 1915, 1917-3 years.....	67	47	56	57	75	72	130	237	298	221	124	71	1,455	New Jersey.
New York.....	1913-1917-5 years.....	262	244	230	284	277	272	393	691	971	771	436	344	5,175	New York.
North Dakota.....	1917-1 year.....	8	5	7	26	24	24	24	20	34	39	23	14	231	North Dakota.
Ohio.....	1914-1917-4 years.....	243	199	176	190	228	245	338	591	815	601	337	211	4,174	Ohio.
Oklahoma.....	1913, 1915, 1917-3 years.....	75	55	29	64	48	133	293	312	264	232	154	98	1,757	Oklahoma.
Oregon.....	1916, 1917-2 years.....	13	15	19	19	11	12	19	36	35	49	25	13	257	Oregon.
Pennsylvania.....	1914, 1915, 1917-3 years.....	30	16	38	34	32	25	39	29	39	26	18	28	6,880	Pennsylvania.
Porto Rico.....	1914, 1916, 1917-3 years.....	7	8	11	11	15	15	19	38	37	44	22	17	345	Porto Rico.
Rhode Island.....	1913, 1917-5 years.....	24	14	23	26	62	194	203	149	147	73	42	19	244	Rhode Island.
South Carolina.....	1913-1917-5 years.....	37	32	24	4	5	3	8	13	23	29	17	10	976	South Carolina.
South Dakota.....	1913, 1914, 1917-3 years.....	4	9	9	4	38	90	138	139	145	185	165	83	1,129	South Dakota.
Texas.....	1915, 1917-2 years.....	37	13	11	30	22	39	66	82	131	104	76	26	621	Texas.
Utah.....	1914-1917-4 years.....	14	14	16	20	9	39	66	82	131	104	76	26	621	Utah.
Vermont.....	1913-1915, 1917-4 years.....	13	11	16	20	9	39	66	82	131	104	76	26	227	Vermont.
Virginia.....	1913-1917-5 years.....	143	133	95	110	150	345	697	1,024	728	486	321	157	4,391	Virginia.
Washington.....	1917-1 year.....	43	30	34	30	35	42	64	120	137	116	76	48	776	Washington.
West Virginia.....	1913-1917-5 years.....	71	74	17	58	81	106	160	329	298	156	120	45	1,529	West Virginia.
Wisconsin.....	1913-1917-5 years.....	42	55	82	53	38	38	37	43	54	74	52	45	623	Wisconsin.
Wyoming.....	1913-1917-5 years.....	5	4	4	2	5	3	4	8	11	9	6	6	67	Wyoming.

Cases of typhoid fever reported, 1918.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	44	54	38	53	100	262	577	452	333	95	50	36	2,094	Alabama.
Arizona.....	7	27	2	15	5	9	24	5	10	1	0	6	71	Arizona.
Arkansas.....	10	37	20	66	17	42	98	84	78	25	25	27	71	Arkansas.
California.....	81	60	60	66	113	106	170	122	109	105	27	39	1,049	California.
Colorado.....	15	3	11	23	8	11	52	110	129	41	7	19	404	Colorado.
Connecticut.....	18	9	11	16	15	24	38	104	147	30	12	19	443	Connecticut.
District of Columbia.....	10	6	5	6	7	21	46	39	53	19	5	10	217	District of Columbia.
Florida.....	17	14	27	23	73	38	99	69	286	31	24	14	485	Florida.
Illinois.....	89	82	55	52	51	64	212	241	207	102	24	86	1,344	Illinois.
Indiana.....	48	42	87	45	64	74	322	187	207	180	62	47	1,127	Indiana.
Iowa.....	35	30	56	58	66	92	392	392	444	201	88	27	1,811	Iowa.
Kansas.....	26	42	66	86	189	321	382	342	196	108	63	101	1,922	Kansas.
Louisiana.....	10	4	6	4	7	13	10	17	17	12	4	7	112	Louisiana.
Maine.....	10	5	6	4	7	13	10	17	17	12	4	7	112	Maine.
Maryland.....	39	30	75	70	63	75	154	351	435	222	86	101	1,701	Maryland.
Massachusetts.....	53	39	75	52	69	64	112	184	261	97	49	44	1,065	Massachusetts.
Michigan.....	44	47	71	47	35	63	66	115	226	128	33	34	915	Michigan.
Minnesota.....	44	59	82	61	34	22	42	83	77	78	18	14	614	Minnesota.
Mississippi.....	146	141	155	154	242	601	1,114	1,174	709	305	255	145	5,141	Mississippi.
Montana.....	2	12	11	23	3	7	28	31	37	35	11	10	210	Montana.
Nebraska.....	4	3	3	6	9	16	69	30	11	5	156	Nebraska.
New Jersey.....	52	34	46	36	36	38	65	132	166	64	25	45	739	New Jersey.
New York.....	122	123	168	197	186	250	312	543	586	461	202	180	3,330	New York.
North Carolina.....	20	17	30	31	46	260	879	949	769	203	75	109	3,388	North Carolina.
North Dakota.....	15	5	8	4	6	2	11	21	23	25	25	4	124	North Dakota.
Oregon.....	142	130	138	126	122	192	253	443	841	324	116	91	2,918	Oregon.
Pennsylvania.....	14	4	13	10	7	12	15	26	24	35	16	7	183	Pennsylvania.
Porto Rico.....	146	301	328	288	299	291	336	643	976	660	185	176	4,559	Porto Rico.
Rhode Island.....	13	25	14	23	8	24	37	28	16	14	8	8	275	Rhode Island.
South Carolina.....	4	8	2	11	29	75	158	289	97	52	23	3	132	South Carolina.
South Dakota.....	5	8	10	23	5	2	3	16	23	13	3	14	92	South Dakota.
Texas.....	Texas.
Utah.....	51	45	29	34	114	302	355	265	294	106	38	18	1,621	Utah.
Vermont.....	10	8	11	10	21	19	27	37	37	34	9	6	231	Vermont.
Virginia.....	14	8	2	1	14	6	5	31	32	21	6	3	143	Virginia.
Washington.....	56	57	65	114	123	186	315	517	355	201	96	56	2,141	Washington.
West Virginia.....	38	35	20	25	41	47	90	107	165	96	23	7	694	West Virginia.
Wisconsin.....	42	46	42	96	70	104	177	204	192	60	61	18	1,127	Wisconsin.
Wyoming.....	38	31	56	42	36	35	29	39	43	19	4	2	368	Wyoming.
.....	1	2	2	3	23	22	9	3	1	66

Deaths registered as due to typhoid fever, 1918.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	26	8	20	19	33	58	118	114	89	57	33	23	598	Alabama.
Arizona.....	4	3	5	5	13	10	9	2	4	8	5	2	56	Arizona.
Arkansas.....	11	13	5	7	15	19	19	26	27	36	13	49	243	Arkansas.
California.....	9	18	13	13	16	17	19	24	17	25	8	10	194	California.
Connecticut.....	3	3	3	3	3	4	4	9	17	17	2	4	75	Connecticut.
Delaware.....	0	0	0	1	1	1	1	12	12	13	2	5	59	Delaware.
District of Columbia.....	4	4	12	25	33	38	37	29	27	19	13	5	48	District of Columbia.
Florida.....	9	7	6	22	6	1	8	5	1	3	0	5	250	Florida.
Hawaii.....	2	37	24	21	33	27	37	84	75	86	44	39	45	Hawaii.
Illinois.....	26	16	24	26	20	23	23	46	48	77	45	29	533	Illinois.
Indiana.....	19	19	12	9	17	13	16	18	17	31	4	9	396	Indiana.
Iowa.....	9	19	17	8	12	13	16	18	37	51	29	14	154	Iowa.
Kansas.....	20	11	11	11	13	13	32	104	56	112	33	27	284	Kansas.
Kentucky.....	29	19	28	33	29	43	36	104	112	83	53	18	618	Kentucky.
Louisiana.....	21	27	23	31	59	104	110	118	70	72	34	18	691	Louisiana.
Maine.....	4	0	7	13	2	7	2	6	8	11	3	2	58	Maine.
Maryland.....	10	8	7	13	8	10	14	32	42	65	10	17	237	Maryland.
Massachusetts.....	9	15	5	20	8	13	14	17	26	36	9	7	158	Massachusetts.
Michigan.....	22	15	20	35	25	16	18	34	30	64	29	17	321	Michigan.
Minnesota.....	5	3	4	10	5	1	1	9	11	7	5	3	88	Minnesota.
Nebraska.....	3	3	4	14	4	7	8	23	13	9	1	3	58	Nebraska.
New Jersey.....	13	27	34	26	44	30	50	53	78	41	4	10	162	New Jersey.
New York.....	47	38	42	52	41	34	38	78	113	181	31	33	576	New York.
North Dakota.....	14	15	11	14	11	24	82	90	67	61	48	30	771	North Dakota.
Oklahoma.....	2	2	2	5	4	1	9	9	3	15	3	1	468	Oklahoma.
Ohio.....	47	38	42	52	41	34	38	78	113	181	31	33	771	Ohio.
Oregon.....	14	15	11	14	11	24	82	90	67	61	48	30	771	Oregon.
Pennsylvania.....	45	52	68	68	52	43	70	87	129	198	62	44	924	Pennsylvania.
Porto Rico.....	2	2	2	2	2	2	2	2	2	2	2	2	157	Porto Rico.
Rhode Island.....	17	23	15	20	16	8	15	13	14	15	7	4	35	Rhode Island.
South Carolina.....	1	1	3	3	1	2	7	9	6	8	6	33	482	South Carolina.
South Dakota.....	2	5	11	13	18	57	70	98	90	117	71	61	37	South Dakota.
Texas.....	55	53	46	33	57	129	176	146	113	117	61	3	1,067	Texas.
Utah.....	5	3	2	2	2	2	2	0	1	9	2	2	39	Utah.
Vermont.....	3	1	2	2	2	1	2	0	1	4	4	1	31	Vermont.
Washington.....	2	6	2	2	2	5	18	4	11	13	17	10	98	Washington.
Wisconsin.....	4	4	10	12	5	4	10	6	10	10	5	8	94	Wisconsin.
Wyoming.....	1	2	2	12	2	4	5	2	2	1	1	13	Wyoming.

Typhoid fever—Average number of cases reported per annum and average indicated morbidity rates, 1913–1917; cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1918.

State.	Estimated population July 1, 1918.	Average.			1918.					State.
		Years.	Cases reported per annum.	Cases per 1,000 inhabitants.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.	
Alabama.....	2,395,270	1913-1915-1917—4 years.....	2,642	1.1	2,004	0.9	598	0.25	28.5	Alabama.
Arizona.....	272,054	1916-1 year.....	51	1.2	71	0.3	56	21	78.9	Arizona.
Arkansas.....	1,792,965	1917-1 year.....	774	4	473	3	243	14	51.4	Arkansas.
California.....	3,119,412	1913-1917—5 years.....	1,409	5	1,049	3	194	18.5	18.5	California.
Colorado.....	1,014,581	1914-1916, 1917—3 years.....	404	6	404	4	75	16.9	16.9	Colorado.
Connecticut.....	1,286,268	1913-1917—5 years.....	743	6	443	3	59	27	16.9	Connecticut.
Delaware.....	216,941	1913-1917—5 years.....	361	1.0	217	5	48	12	22.1	Delaware.
District of Columbia.....	401,681	1913-1917—5 years.....	213	1.0	485	5	250	27	51.5	District of Columbia.
Florida.....	938,877	1913-1917—5 years.....	176	5	1,344	2	533	39.7	39.7	Florida.
Hawaii.....	223,419	1913-1917—5 years.....	3,741	9	1,127	4	154	14	35.1	Hawaii.
Idaho.....	461,766	1913-1 year.....	2,523	1.0	1,811	1.0	618	26	36.0	Idaho.
Illinois.....	6,317,734	1913-1917—3 years.....	1,799	6	1,922	1.0	691	37	51.8	Illinois.
Indiana.....	2,854,771	1913-1917—5 years.....	1,009	3	1,112	1.1	58	07	13.9	Indiana.
Iowa.....	2,224,771	1913-1917—5 years.....	2,442	2.0	1,705	1.2	237	17	14.8	Iowa.
Kansas.....	2,408,547	1914-1917—4 years.....	2,736	5	1,061	3	358	10	35.1	Kansas.
Kentucky.....	1,884,778	1913-1917—5 years.....	1,819	6	915	3	321	10	14.3	Kentucky.
Louisiana.....	1,782,191	1914-1917—4 years.....	1,956	5	614	2.6	599	30	11.7	Louisiana.
Maine.....	3,824,539	1915-1917—3 years.....	5,926	3.1	5,141	4	530	15	37.2	Maine.
Massachusetts.....	3,133,678	1913-1917—5 years.....	492	1.1	210	1	58	04	21.9	Massachusetts.
Michigan.....	2,345,287	1913-1917—5 years.....	130	1.3	739	2	162	05	17.3	Michigan.
Minnesota.....	2,001,466	1914-1917—4 years.....	1,455	5	3,330	1.4	576	26	21.0	Minnesota.
Mississippi.....	3,448,498	1913-1914, 1916, 1917—4 years.....	5,175	3	3,388	2	771	15	26.4	Mississippi.
Missouri.....	1,296,376	1913-1917—5 years.....	231	3	2,918	6	468	20	38.3	Missouri.
Montana.....	1,296,376	1917-1 year.....	4,174	8	1,757	2	70	08	20.3	Montana.
Nebraska.....	1,114,742	1913-1917—5 years.....	1,757	3	1,833	5	924	11	20.3	Nebraska.
Nevada.....	3,080,371	1913-1917—5 years.....	6,880	8	4,569	5	924	11	20.3	Nevada.
New Jersey.....	10,646,989	1913-1917—5 years.....	231	3	2,918	6	468	20	38.3	New Jersey.
New York.....	2,463,025	1917-1 year.....	4,174	8	1,757	2	70	08	20.3	New York.
North Carolina.....	791,437	1914-1917—4 years.....	1,757	3	1,833	5	924	11	20.3	North Carolina.
North Dakota.....	5,273,814	1913-1915, 1917—3 years.....	2,377	629	243	243	243	243	243	North Dakota.
Ohio.....	5,273,814	1913-1917—5 years.....	2,377	629	243	243	243	243	243	Ohio.
Oklahoma.....	2,377,629	1913-1917—5 years.....	2,377	629	243	243	243	243	243	Oklahoma.
Oregon.....	888,243	1913-1917—5 years.....	2,377	629	243	243	243	243	243	Oregon.
Pennsylvania.....	8,798,067	1916, 1917—2 years.....	6,880	8	4,569	5	924	11	20.3	Pennsylvania.

Typhoid fever—Average number of cases reported, per annum and average indicated morbidity rates, 1913-1917; cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1918—Continued.

State.	Estimated population July 1, 1918.	Average.			1918					State.
		Years.	Cases reported per annum.	Cases per 1,000 inhabitants.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.	
Porto Rico.....	1,247,677	1914, 1915, 1917-3 years.....	345	0.3	275	0.2	157	0.13	57.1	Porto Rico.
Rhode Island.....	1,637,415	1914, 1916, 1917-3 years.....	244	.4	132	.2	35	.06	26.5	Rhode Island.
South Carolina.....	1,660,934	1913-1917-5 years.....	976	.6	763	.5	482	.29	63.2	South Carolina.
South Dakota.....	4,735,434	1913, 1914, 1917-3 years.....	129	.2	92	.1	37	.05	40.2	South Dakota.
Texas.....	4,601,279	1915, 1917-2 years.....	1,147	.3	1,621	.4	1,057	.23	65.2	Texas.
Utah.....	463,648	1913-1915, 1917-4 years.....	621	1.5	231	.5	39	.09	16.9	Utah.
Vermont.....	366,192	1914-1917-4 years.....	227	.6	143	.4	31	.08	21.6	Vermont.
Virginia.....	2,234,050	1913-1917-5 years.....	4,391	2.0	1,411	1.0	98	.06	14.1	Virginia.
Washington.....	1,680,578	1917-1 year.....	776	.5	694	.8	94	.04	25.5	Washington.
West Virginia.....	1,439,163	1913-1917-5 years.....	1,529	1.1	1,127	.1	18	.09	27.2	West Virginia.
Wisconsin.....	2,533,983do.....	623	.3	368	.3				Wisconsin.
Wyoming.....	190,380do.....	67	.4	66					Wyoming.

Cases of typhus fever reported, 1918.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Colorado.....						1							1	Colorado.
Connecticut.....						1							1	Connecticut.
Florida.....													1	Florida.
Maryland.....		1				1	3						4	Maryland.
Massachusetts.....		1			1								2	Massachusetts.
Pennsylvania.....						1							1	Pennsylvania.
Texas.....	1							2	6				11	Texas.

Deaths registered as due to typhus fever, 1918.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Maryland.....							3						3	Maryland.
Massachusetts.....			1										1	Massachusetts.
New Jersey.....				1					1				1	New Jersey.
Texas.....													1	Texas.

Typhus fever—Cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1918.

State.	Estimated population July 1, 1918.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Fatality per 100 cases.	State.	Estimated population July 1, 1918.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Fatality per 100 cases.
Connecticut.....	1,286,268	1	0.0008				Massachusetts.....	3,832,790	2	0.0005	1	0.0003	50.0
Colorado.....	1,014,581	1	.0009				New Jersey.....	3,080,371		1	.0003
Florida.....	938,877	1	.0011				Pennsylvania.....	8,798,067	1	.0001	
Maryland.....	1,384,539	4	.0029	3	0.0022	75.0	Texas.....	4,601,279	11	.0023	1	.0002	9.1